



REQUEST FOR QUOTATION (RFQ)

Sir/Madam,

Please quote your best offer for the item/s listed below, **subject to the Terms and Conditions** provided. Submit your quotation duly signed by you or your duly authorized representative not later than **April 27, 2021 at 3:00PM** to **dave.musa@yahoo.com** or send via fax or drop at PPMU box at Procurement Management Division (PMD) Office, Maligaya, Science City of Muñoz, Nueva Ecija. For any clarification you may call/send through fax to **(044) 456-0650** or PPMU no. **09435623878/ 09150816864**

CHRISTOPHER DAVE B. MUSA
BUYER/CANVASSER

GLENDA D. RAVELO

Division Head, PMD *abli*

INSTRUCTIONS:

1. Accomplish this RFQ correctly and accurately.
2. Please do not leave any blank items. Indicate "0" if item being offered is for free and "NO BID" if no offer.
3. Do not alter the contents of this form in any way.
4. All technical specifications are mandatory. Fill in the column designated for technical specifications of your offer, you may specify the brand and model if applicable. Use additional sheet if needed or attach brochure.
5. Failure to follow these instructions will disqualify your quotation.
6. NEW suppliers/bidders are required to submit a photocopy/e-copy of valid Mayor's Business Permit, BIR Registration 2303, DTI/SEC/CDA Registration (whichever is applicable), valid PhilGEPS Registration Number and valid PCAB License (if applicable) together with their quotations. Please disregard if you have submitted an

Project Title: Procurement of semi-expandable IT equipment, peripherals & accessories and other items

Project No.: Project 39

Reference PR No.: 2021-02-0435, 2021-02-0573, 2021-02-0568 etc

Approved Budget of the Contract: ₱ 732,659.24

Item No.	Quantity	Unit	Item and Description	Offer	Unit Price	Total Amount
			Per Request			
1	25	piece	Cooling pad for laptop Fan Aluminum Alloy Laptop Stand Laptop Cooler Laptop Holder Foldable laptop stand * Come with a removable fan, effective heat dissipation * Made of aluminum alloy, very strong and durable * 6 angles can be adjusted to easily grasp a healthy sitting posture * Foldable, very portable and easy to grasp with one hand. * Supports almost all sizes of laptops and mobile devices			
2	3	unit	Wireless earphone True Wireless Earbuds Type: True wireless stereo Form factor: In-ear wireless connectivity: min. Bluetooth 5.0 Wireless range: min. 10 metres Control button: Multi-touch Sensitivity (headphone): 110dB Noise-cancellation: DSP noise reduction Speaker: min 7.2mm moving coil unit Frequency Response range:20-2000Hz Waterproof: Yes, IPX5 With microphone: Yes Bluetooth protocols: HFP/HSP/A2DP/AVRCP Headphone battery capacity: min 40mAH Charging box battery capacity: min. 800mAh.			
3	1	unit	Earphones, In-Ear Headphones with Remote and Mic, Apple Compatible			
4	1	unit	Headset Connector: USB Type A Mic: Type:Noise Cancelling Sensitivity: -40dB Max Input: 110 dB Speaker: Sensitivity: 111dB Audio Power output: 5mW Impedance:320			
5	15	piece	Ergonomic Wrist Rest Mouse Pad Memory Foam Superfine Fibre Wrist Rest Pad			
6	4	piece	Computer Memory RAM, DDR3-1600 RAM 8GB			
7	6	piece	NVMe M.2 PCIe Solid State Drive 512GB M.2 (2280) V-NAND 3,500MB/s Seq. Read 2,300MB/s Seq. Write Compatible with Acer Predator 17 Laptop			
8	3	piece	M.2 PCIe Solid State Drive 512GB M.2 (2280) TLC NAND flash memory 3,500MB/s Seq. Read 2,300MB/s Seq. Write Compatible for Macbook pro Retina A1502			
9	6	piece	SATA III 2.5 SSD 2TB 2.5 SSD Solid State Drive SATA V-NAND reliability 2nd generation 4-bit MLC technology that delivers fast read/write speeds of 560/530 MB/s* Intelligent TurboWrite technology sequential reads up to 550 MB/s Multi form factors			
10	10	piece	3.5-Inch Internal Hard Drive 3.5-Inch Internal Hard Drive SATA 6Gb/s 64MB Cache 3TB Compatible with Desktop PCs			
11	30	piece	3.5 HDD Protector Box 3.5 HDD Protector Case Color: Gray Anti-Static Anti-Drop Anti-Shake Water Resistant Dust Resistant			
12	1	unit	Battery for notebook computer, Lenovo G450 59035516			
13	1	piece	US laptop keyboard Compatible with Dell G7 15 7590 Keyboard with backlit Color: blue			



Approved Budget of the Contract: ₱ 732,659.24

Item No.	Quantity	Unit	Item and Description	Offer	Unit Price	Total Amount
			Per Request			
14	2	piece	Mechanical RGB keyboard 100% anti-ghosting with N-key rollover Individually-backlit keys with Aura Sync RGB LED technology With Magnetic Wrist Rest USB passthrough port Interface: USB keyboard			
15	7	piece	Wireless Mouse, AAA battery operated.			
16	12	piece	Data storage, CD-RW with case			
17	1	piece	Gigabit Network Switch 8 10/100/1000Mbps Auto-Negotiation RJ45 ports supporting Auto-MDI/MDIX, IEEE 802.3x flow control provides reliable data transfer, Green Ethernet technology saves power consumption, Steel housing, desktop or wall-mounting design, Plug and play, no configuration needed. Certification FCC, RoHS			
18	2	piece	POE Network Switch Eight (8) 10/100 Mbps PoE Ports Two (2) 10/100/1000 Mbps Ports, Layer 2 Commercial Switch, Protocol: IEEE802.3af, IEEE802.3at, Hi-PoE Consumption: Port 1: 60 W Ports 2-8: 30 W per Port Total PoE Budget: 96 W, Long-distance PoE (LD PoE) Transmits Power and Data 250 m (820 ft), Supports Hi-PoE (60 W), MDI/MDIX Self-adaptation, Metal Enclosure			
19	5	piece	PoE injector/PoE adapter Output Voltage: 48VDC, 2-4 Ampere Output Power Capacity: 15.4W Max 2x Gigabit RJ45 Port IEC-320 C6 Input Connector IEEE 802.3af PoE compliant Compatible with CCTV camera			
20	1	piece	Mobile Phone 6.3" Display 4GB RAM+64 GB Rom Octa Core Processing 5000mAH Ambient light Sensor Finger Print Sensor Proximity Sensor Gravity Sensor Rear Camera: 13MP 5MP (Wide), 2MP Front Camera: 8MP +2.0 aperture FF			
21	1	unit	Drawing Tablet Signature Pad Borad Technology: Battery-Free Electromagnetic Resonance Press Keys: 8 Customized Press, 16 Customized Soft Keys Active Area: 254 x 158.8mm (10 x 6.25in) Compatible with Windows 10 or later OS and Latest MacOS			
22	1	piece	Portable External Hard Drive SPECIFICATIONS Capacity: 1TB Interface: USB 3.0 & Backup: Auto and Cloud backup & Quick file transfer with USB 3.0 connectivity & USB powered - no power supply necessary & Create easy customized backup plans & System Requirements: Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP or Mac OS X 10.6			
23	6	piece	External Hard Disk Drive 2 TB capacity; Windows and Mac OS compatible; USB 3.0 connectivity; backward compatible with USB 2.0 ; color: black			
24	7	piece	External HDD 3TB Power up with USB 3.0			
25	3	unit	Flash Drive USB Specification: 3.0 Capacity: 32 gb (100MB/s read) Color: Black			
26	7	unit	Flash Drive, 64GB, USB 3.0			
27	2	unit	OTG - 128GB dual flashrive; Interface: Micro-USB/USB Type C and USB 3.0 connectors; Backward compatible with USB 2.0; Transfer speed up to 130MB/s; Plug and Play; Windows Vista, Windows 7, 8, 20 and Mac OS compatible; Huawei and Samsung mobile devices compatible			



Item No.	Quantity	Unit	Item and Description	Offer	Unit Price	Total Amount
			Per Request			
28	2	unit	UPS Input: Voltage 230 Vac Nominal Frequency 47-63 Hz Brownout Transfers 155 Vac Typical Over-voltage Transfer 290 Vac Typical Output: UPS Capacity (3 battery backup outlets) 625 VA, 325 W Total Amperage (all outlets) 7 A (including UPS output) Voltage - On Battery 230 Vac \pm 8% Frequency - On Battery 50 or 60 Hz + 1 (auto-sensing) Transfer Time 6 ms Typical, 10 ms maximum Protection and Filtering: AC Surge Protection Full time, 273 Joules EMI/RFI Filter Full time AC Input Resettable circuit breaker Battery: Type Sealed, maintenance-free, lead acid, 12V, 7Ah Average Life 2 - 3 years depending on the number of discharge cycles and environmental temperature			
29	1	unit	UPS- 1100VA, with built in AVR, 230V, Universal and IEC Sockets, resettable Circuit Breaker, Surge protector			
30	5	unit	UPS-325 watts, 650VA in/output voltage, 230V			
31	1	piece	UPS, 600W			
32	7	unit	UPS- 650VA, 230V, AVR, Universal sockets			
33	1	unit	Printer Print, Scan, Copy Print Speed: Photo Default - 10 x 15 cm / 4 x 6": Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless) *1 Draft, A4 (Black / Colour): Up to 33 ppm / 15 ppm *1 ISO 24734, A4 Simplex (Black / Colour): Up to 10 ipm / 5.0 ipm *1 First Page Out Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec *1 Copy Speed: Copy Quality: Colour / Black-and-White; Draft / Standard Maximum Copies from Standalone: 20 copies Maximum Copy Size: A4, Letter ISO 29183, A4 Simplex Flatbed (Black / Colour): Up to 7.0 ipm / 1.7 ipm Max Copy Resolution: 300 x 300 dpi			
34	1	unit	Wi-Fi All-in-One Ink Tank Printer with ADF Compact integrated tank design High yield ink bottles Spill-free, error-free refilling Print, scan, copy, fax with ADF Wi-Fi, Wi-Fi Direct Borderless printing up to 4R			
35	1	unit	Printer Compact integrated tank design High yield ink bottles, Spill-free, error-free refilling Print, scan, copy, fax with ADF Wi-Fi, Wi-Fi Direct, Epson Connect, Borderless printing up to 4r Printer Typerint, Scan, Copy, Fax with ADF Dimensions (W x D x H): 375 x 347 x 237 mm Weight: 5.0 kg Consumables: Black Ink Bottle: 4,500 pages *4-003, Cyan Ink Bottle: 7,500 (Composite Yield) *4-003, Magenta Ink Bottle: 7,500 (Composite Yield) *4-003, Yellow Ink Bottle: 7,500 (Composite Yield) *4-003 Supported OS: Windows XP / Vista / 7 / 8 / 8.1 / 10 Windows Server 2003 / 2008 / 2012 / 2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later			
36	1	piece	Home Prepaid Wi-Fi Advanced Supported Frequency: B1, B3, B28, B40, B41 LTE Category: Cat 7 Carrier Aggregation: Yes Wi-Fi Support: Dual Band (2.4Ghz & 5Ghz).			
37	1	unit	Web Cam, HD, Max Resolution: 1080p/30fps - 720p/60fps Focus type: autofocus Lens technology: Full HD glass			

Approved Budget of the Contract: ₱ 732,659.24

Item No.	Quantity	Unit	Item and Description	Offer	Unit Price	Total Amount
			Per Request			
38	2	unit	Webcam, With built-in speaker and microphone Max Resolution: 1080p/30 fps - 720p/ 60 fps Focus type: Autofocus Lens type: Glass Built-in mic: Stereo Diagonal field of view (dFoV): 78Å° Tripod-ready universal mounting clip fits laptops, LCD or monitors with 5 ft (1.5 m) attached USB - A cable			
39	16	unit	Webcam, Built In Mic: Single Digital Mic Resolution: 720 P 1280*720 (HD)/(15.0 MP - 25.0 MP) Size and Height: LXW (135mm X 75 mm) Color: Black and silver			
40	1	unit	Webcam Specs: Max resolution: 1080p/30fps-720/30fps Microphone: Yes, stereo Privacy shutter: Yes Field of View: 78 degrees Clip-on: Yes Megapixels: 2.07 High definition: Yes Autofocus: Yes Low-Light Correction: Yes Compatible with Windows 10 or later, Windows 8, Windows 7, Skype, Zoom, Google Meet, Google Hangouts, Microsoft Teams, WebEx.			
41	2	unit	Webcam Max Resolution: 1080p/30fps-720/30fps Microphone: Yes, stereo Privacy shutter: Yes Field of view: 78 Degrees Clip-on: Yes Megapixels: 2.07 megapixels High definition: Yes Autofocus: Yes Low-Light Correction: Yes Compatible with Win10 or later, Win8, Win7, Skype, Zoom, Google Meet, Google Hangouts, Microsoft Teams, webEX.			
42	1	unit	Webcam Full HD 1080p video calling at 30 fps (min) or 60fps, 1920x1080 high resolution, excellent low-light performance; 90 degree field of view (min), ; auto-focus; Remote controlled video/camera pan, tilt, zoom (IR remote control included or joystick controller); Pan: 0 to 340 degree (max speed - 80 degree per second, wide angle is 90 degree) Tilt: 0 to 120 (max speed - 60 degree per second); 3x optical zoom, 2.1MP (min); 64 preset positions; Video Conferencing App Compatibility: works with most video conferencing app such as zoom, cisco webex, google meet, skype for business, etc. Connectivity: USB 2.0 and USB 3.0 ports (USB cable included), plug and play OS compatibility: Windows OS, Mac OS, Chrome OS, Android, webOS Installation: Support Desktop, Tripod, Wall-mount, and Ceiling Mount (brackets included) Built-in microphone with noise and echo cancelling omni directional mic			
43	6	piece	Outdoor Wireless Bridge - High Gain 5GHz High Power Wireless Bridge, 5GHz 867Mbps Wireless Speed 23dBi Outdoor Wireless AP, operation modes: AP / Client / AP Router / AP Client Router (WISP), 23dBi high-gain directional 2x2 MIMO antenna and a dedicated metal reflector, ideal for long-distance application, Excellent beam directivity, improved latency and noise cancellation, Durable IP65 weatherproof and dust proof enclosure along with 15 kV ESD and 6 kV lightning protection ensures all-weather suitability, IEEE 802.11a/n Wireless Standards, 1 1 10/100/1000 Mbps Shielded Ethernet Port (LAN/POE), 1 Reset Button, Passive Power over Ethernet via LAN (+4,5pins; -7,8pins), Voltage range: 16-27VDC			
44	1	unit	Camera 20.1 MP Super HAD CCD sensor 35x optical zoom lens Optical SteadyShot reduces blur even in low light HD video capability for beautiful video Sweep Panorama to capture the whole scene.			
45	1	unit	Voice Recorder Record in MP3/LPCM with a high-sensitivity S-Microphone, Up to 8GB of built-in storage, expandable via MicroSD (SDHC/SDXC) cards, Focus and wide microphone modes to suit lectures or meetings, Direct USB built-in for easy connection to PC, FM radio to listen to or record radio broadcasts			
					TOTAL	



Project Title: Procurement of semi-expandable IT equipment, peripherals & accessories and other items
Project No. Project 39 **Reference PR No.:** 2021-02-0435, 2021-02-0573, 2021-02-0568 etc
Approved Budget of the Contract: ₱ 732,659.24

TERMS AND CONDITIONS

Delivery Period: 30 calendar days
Place of Delivery: { } Philippine Rice Research Institute-CES, Brgy. Maligaya, Science City of Muñoz, Nueva Ecija
 { } ATI Building, Elliptical Road, Diliman, Quezon City
Warranty: 1 year (non-consumable supplies/Equipment) and 3 months (consumable supplies)
Payment Term: 30 Calendar Days after completion of delivery

- Price Quotations must be valid for a period of **45 calendar days** from the deadline of submission.
- Price quotations shall include all taxes, duties and/or levies. Deductions of 5% VAT & 1% EWT (for goods) or 5% VAT & 2% EWT (for services).
- Price Quotations exceeding the Approved Budget for the Contract shall be rejected.
- Award of contract shall be made to the lowest quotations (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein
- In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the PhilRice shall adopt and employ "draw lots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.
- Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- The item/s shall be delivered according to the requirements specified in the Conformed Purchase Order or Contract.
- Goods, supplies, equipment, or work done are subject to inspection/acceptance, PhilRice reserves the right to cancel, reject, or rebid the items which do not conform with the technical specifications.
- Liquidated damages equivalent to 1/10 of 1% per day of delay for the value of undelivered items shall be imposed. PhilRice shall rescind the contract once the cumulative amount of liquidated damages reaches ten (10) percent of the amount of contract, without prejudice to other courses of actions and remedies open to it.
- The Bidder warrants that s/he has not given nor promised to give any money or gift to any PhilRice employee to secure this offer and to obtain an award.
- The winning Bidder is required to submit a photocopy of Latest Income/Business Tax Return and original copy of Omnibus Sworn Statement prescribed by the GPPB PRIOR TO PAYMENT of the goods delivered/services rendered.
- Payment shall be made within (30) days after 100% completion of delivery subject to submission and/or completion of supporting documents, in accordance with existing accounting rules and regulations. Please note that the corresponding bank transfer fee, if any, shall be chargeable to the contractor's/Supplier's account.

After having carefully read and accepted the Procurement Terms & Conditions, I/We quote you on the item at prices noted above.

PRINTED NAME/SIGNATURE OF AUTHORIZED REPRESENTATIVE

Designation: _____
 Company Name: _____
 Business Address: _____
PhilGEPS Registration No.: _____
 Telephone Number: _____
 Email Address: _____
 LandBank Account number (Optional): _____

PRRI RFQ Rev 6 Effectivity Date: February 01, 2021

