



Date: 07/14/2021

REQUEST FOR QUOTATION (RFQ)

Sir/Madam,

Please quote your best offer for the item/s listed below, **subject to the Terms and Conditions** provided. Submit your quotation duly signed by you or your duly authorized representative not later than **July 21, 2021 at 5:00PM** to fp.capinpin22@philrice.gov.ph or frederickcapinpin22@gmail.com or send via fax or drop at PPMU box at Procurement Management Division (PMD) Office, Maligaya, Science City of Munoz, Nueva Ecija. For any clarification you may call/send through fax to **(044) 456-0650** or **09079255043**.

FREDERICK P. CAPINPIN
BUYER/CANVASSER

GRACE S. VILLAROMAN
Asst. Division Head, PMD

INSTRUCTIONS:

1. Accomplish this RFQ correctly and accurately.
2. Please do not leave any blank items. Indicate "0" if item being offered is for free and "NO BID" if no offer.
3. Do not alter the contents of this form in any way.
4. All technical specifications are mandatory. Fill in the column designated for technical specifications of your offer, you may specify the brand and model if applicable. Use additional sheet if needed or attach brochure.
5. Failure to follow these instructions will disqualify your quotation.
6. NEW suppliers/bidders are required to submit a photocopy/e-copy of valid Mayor's Business Permit, BIR Registration 2303, DTI/SEC/CDA Registration (whichever is applicable), valid PhilGEPS Registration Number and valid PCAB License (if applicable) together with their quotations. Please disregard if you have submitted an

Project Title: **Supply and Delivery of Semi-Expendable ICT Equipment and Peripherals**
Project No. **Project 39A (4th Quarter)** Reference PR No.: **2021-05-1531, 2021-05-1532, etc.**
Approved Budget of the Contract: **P899,720.00**

Item No.	Quantity	Unit	ABC	Item and Description		Unit Price	Total Amount
				Per Request	Offer		
1	7	unit	56,000.00	Printer Inkjet Printer (All in one Copy, Scan, Print), Ink tank system, Compact integrated tank design, USB2, Borderless printing up to A4 and Legal size, 10.5ipm black and 5.0ipm color print speed			
2	1	unit	14,000.00	Scanner CDF (Continuous Document Feeding); Simplex sheetfed two way paper pass (Straight path, U-turn path), Color, Grayscale, Monochrome, Automatic Color Detection, 7.5 seconds per page at 150 dpi; Maximum of 600 dpi, A4, A5, A6, B5, B6, business card, postcard, letter, legal and custom sizes; Permits scanning of A3 (carrier sheet) 1, Supports Windows and MacOS			
3	5	piece	8,500.00	Keyboard and Mouse Wireless keyboard and mouse bundle			
4	8	unit	116,000.00	Power Supply UPS Type: Tower True Double-Conversion Online UPS, Phase: Single phase with ground Rating (VA): 2000 Nominal Power : 1600 Frequency Range: 40hz ~ 70hz Front panel: Status LED, Function keys Transfer time: AC Mode to Battery Mode : Zero Inverter to Bypass: 4ms (typical) Management: Smart RS-232			
5	10	piece	149,500.00	External Data Storage 10TB USB 3.0 Desktop External Hard Drive			
6	6	piece	54,000.00	External Data Storage 3 TB USB 3.0 Portable External Hard Drive			
7	5	piece	74,750.00	Data storage, Solid-state drive (SSD) SSD 1TB PCIe Gen3 x4 NVMe M.2 2280			
8	1	piece	6,000.00	Automatic Voltage Regulator (AVR) 5000 watts			
9	1	unit	2,000.00	Webcam Resolution: 1080P HD, Built-in Mic Framrate: 30fps, Focus Type: Fixed Focus			
10	1	unit	14,999.00	Printer Print, Scan & Copy with Built-in Wireless. Ultra-high 6500 page yield (black ink) / 5000 page yield (colour ink). Wifi-Direct, Direct Mobile Print & Scan. Seamless Multipage Scan & Copy (Auto Document Feeder). Flexible paper handling with Default Paper Tray & 1-sheet Manual Feed Slot. Borderless printing, with ink refill			
11	2	piece	5,000.00	Keyboard USB type, A-shape, Round edge keycaps, 12 FN multimedia hotkeys with adjustable keyboard legs dimension of 449x150x23 mm, cable length of 180cm			



Date: 07/14/2021

REQUEST FOR QUOTATION (RFQ)

12	2	unit	6,000.00	Webcam HD, Max Resolution: 1080p/30fps - 720p/60fps Focus type: autofocus with microphone			
13	1	unit	11,301.00	Printer Printer of color/Black with feeder scanner, Nozzle Configuration 180 Nozzles Black, 59 Nozzles per Color, Minimum Droplet Size 3 pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink Printing Resolution 5,760 x 1,440 DPI Category Home, Office Desktop All-in-One Functions Print, Scan, Copy, Fax			
14	1	unit	3,750.00	Power Supply UPS, Voltage Required. AC 120 V. Input Voltage Range. AC 88 - 139 V. Input Connector(s) 1 x power NEMA 5-15. Power Output Connectors Details. 5 x power NEMA 5-15 (UPS and surge) ... Output Voltage. AC 120 V (60 Hz) Power Capacity. 450 Watt / 750 VA. Surge Suppression. yes. Surge Energy Rating. 365 Joules.			
15	4	unit	3,420.00	Headset Dimensions. Height x Width x Depth: 160 mm x 175 mm x 60 mm. Weight: 0.1 Kg. Technical Specifications. Input Impedance: 20 Ohms. Sensitivity (headphone): 115 dB +/- 3 dB. Sensitivity (microphone): -42 dBV/Pa +/- 3 dB. Package Contents. USB Computer Headset			
16	200	piece	2,000.00	LAN cables & accessories, RJ45 Plug Cat6 connector 8P8C 50micron Gold plated contacts Clear plastic housing for Solid wire cables			
17	4	roll	40,000.00	LAN cables & accessories, UTP cable Cat6 Pure Copper Cable Unshielded Twisted Pair 23AWG Insulated with HDPE polymer PVC-LSZH Flame Retardant Jacket 802.3af/802.3at PoE compliant with Cross Divider 305meters/box Third Party tested			
18	50	piece	12,500.00	LAN cables & accessories, Module RJ45 Cat6 110 type IDC punch down connectors, T568A and B compliant, Color coded wiring diagram next to wire clips Standard keystone face size (14.5 x 16.0 MM), can be used with keystone wall plates, patch panels, or surface mount boxes			
19	6	piece	18,000.00	LAN cables & accessories, Network Switch 8 -Port Gigabit Ethernet (100mbps/1000mbps), Plug and Play Simple Setup - Unmanaged, Compliant with IEEE802.az, Energy Efficient Ethernet mode, Auto MDI/MDIX - Auto Negotiation, Jumbo Frame Rate Support - 9720 bytes, MAC Table Size - 4K, Packet Buffer Size 192kb, non-blocking switching architecture			
20	2	piece	17,000.00	LAN cables & accessories, Network Switch 24 ports Gigabit Ethernet, 1000Base-T Interface Auto MDI/MDIX, Switching Capacity 48 Gbps Max. Packet Forwarding Rate 35.71Mpps, Store & Forwarding, Maximum Power Consumption 13.3W, Standby Power Consumption 4.4W Maximum Heat Dissipation 45.35 BTU/h, MTBF 863,100 hours Power Input AC 100 ~ 240 V Packet Buffer Size 512KBytes, Comply with RoHS 6, Energy Efficiency Ethernet (EEE) MAC Address Table Size 8,192, 802.3x Flow Control, Head-of-line (HOL) Blocking Prevention, Jumbo Frame 10,000 Bytes Surge/Lightning Protection (AC Power Inet) 1kV, Surge/Lightning Protection (All Ethernet Ports) 1kV			

REQUEST FOR QUOTATION (RFQ)

Date: 07/14/2021

21	4	piece	52,000.00	<p>LAN cables & accessories, Network Switch PoE Switch (18 Ports) 18 Ports PoE Switch Up to 300 m Long Range PoE Transmission Port Number: 16 100 Mbps PoE ports, 2 1000 Mbps combos, Port Type: RJ45 port, full duplex, MDI/MDI-X adaptive, Standard: IEEE 802.3, IEEE 802.3u, IEEE 802.3x, Forwarding Mode: Store-and-forward switching, Working Mode: Standard mode (default); Extend mode, High priority ports: Ports 1 to 8, Ports for Long-Distance Transmission: Ports 9 to 16, MAC Address Table: 4 K, Switching Capacity: 7.2 Gbps, Packet Forwarding Rate: 5.356 Mpps, Internal Cache: 2.75 Mbits, PoE Standard: IEEE 802.3af, IEEE 802.3at, PoE Power Pin: Ports for long-distance transmission (9-16) support 8-core power supply, Ethernet cable 1/2/3/6 and 4/5/7/8 provide simultaneous power supply, Ports for close-range transmission (1-8) support 4-core power supply, Ethernet cable 1/2/3/6 provide power supply PoE Port: Ports 1 to 16, with 6KV surge protection for PoE ports Max. Port Power: 30 W, PoE Power Budget: 230 W, Max. Power Consumption: 250 W * Fully compatible with existing Hikvision CCTV system</p>			
22	8	piece	64,000.00	<p>LAN cables & accessories, Network Switch PoE Switch (8 ports) 8 ports PoE, Intelligent PoE Management Up to 300 m Long Range PoE Transmission IEEE 802.3bt Standard Hi-PoE, Max. 90 W for One Port Support 8-core power supply, Ethernet cable 1/2/3/6 and 4/5/7/8 provide power supply simultaneously. 6KV Surge Protection to Improve Reliability in Harsh Switching Capacity 5.6 Gbps Packet Forwarding Rate 4.166 Mpps Internal Cache 4 Mbits Max. Port Power Port 1: 90 W Ports 2 to 8: 30 W PoE Power Budget 110 W Max. Power Consumption 120 W Power Supply 48 VDC, 2.5 A Power Consumption in Idle 10 W * Fully compatible with existing HikVision CCTV system</p>			
23	9	piece	27,000.00	<p>Wireless Access Point 450Mbps Wireless N Access Point, One 10/100M Ethernet Port (RJ45), Support Passive PoE, IEEE 802.11n, IEEE 802.11g, IEEE 802.11b, 3*5dBi Detachable Omni Directional (2.4-2.4835GHz), 11n: Up</p>			
24	12	piece	96,000.00	<p>Internal Hard Disk Drive 3.5" Internal Drive 4TB capacity 64MB cache SATA 6Gb/s 24x7 usage For Surveillance/CCTV data storage</p>			
25	2	piece	6,000.00	<p>Internal Hard Disk Drive 256 GB 2.5" SATA SSD 3D NAND Technology</p>			
26	2	piece	12,000.00	<p>Internal Hard Disk Drive 4TB SATA HDD 3.5"</p>			
27	1	unit	14,000.00	<p>Printer Wi-Fi All-in-One Ink Tank Printer with ADF, Compact integrated tank design High yield ink bottles Spill-free, error-free refilling, Print, scan, copy, fax with ADF Wi-Fi, Wi-Fi Direct Borderless printing up to 4R Paper size up to Legal Supported OS and Applications: Supported OS: Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016, Only printing and scanning functions are supported for Windows Server OS, Mac OS X 10.6.8 or later</p>			
28	1	unit	1,000.00	<p>Speaker Laptop Speaker 2 mini speakers for computers USB powered Height x Width x Depth: 110 mm x 90 mm x 88 mm Total Watt (RMS): 1.2W Weight: 0.25kg 3.5mm input</p>			



Date: 07/14/2021

REQUEST FOR QUOTATION (RFQ)

29	2	unit	9,000.00	Webcam Max Resolution: 1080p/30fps - 720p/30fps Focus type: autofocus Lens technology: glass Built-in mic: mono, noise reduction FoV: 78° Tripod-ready universal clip fits laptops, LCD or monitors USB fold and go design full 360 degrees swivel		
30	1	piece	4,000.00	Power Supply Uninterruptible Power Supply (UPS) Output: 400W/650VA, input: 230V, 3x battery back-up, 1x surge, 4x IEC 320 C13, 2x IEC Jumpers		
			899,720.00		TOTAL	

TERMS AND CONDITIONS

Delivery Period: calendar days
 Place of Delivery: { } Philippine Rice Research Institute-CES, Brgy. Maligaya, Science City of Munoz, Nueva Ecija
{ } ATI Building, Elliptical Road, Diliman, Quezon City
 Warranty: 1 year (non-consumable supplies/Equipment) and 3 months (consumable supplies)
 Payment Term: 30 Calendar Days after completion of delivery

- Price Quotations must be valid for a period of **45 calendar days** from the deadline of submission.
- Price quotations shall include all taxes, duties and/or levies. Deductions of 5% VAT & 1% EWT (for goods) or 5% VAT & 2% EWT (for services).
- Price Quotations exceeding the Approved Budget for the Contract shall be rejected.
- Award of contract shall be made to the lowest quotations (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein
- In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the PhilRice shall adopt and employ "draw lots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.
- Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- The item/s shall be delivered according to the requirements specified in the Conformed Purchase Order or Contract.
- Goods, supplies, equipment, or work done are subject to inspection/acceptance, PhilRice reserves the right to cancel, reject, or rebid the items which do not conform with the technical specifications.
- Liquidated damages equivalent to 1/10 of 1% per day of delay for the value of undelivered items shall be imposed. PhilRice shall rescind the contract once the cumulative amount of liquidated damages reaches ten (10) percent of the amount of contract, without prejudice to other courses of actions and remedies open to it.
- The Bidder warrants that s/he has not given nor promised to give any money or gift to any PhilRice employee to secure this offer and to obtain an award.
- The winning Bidder is required to submit a photocopy of Latest Income/Business Tax Return and original copy of Omnibus Sworn Statement prescribed by the GPPB PRIOR TO PAYMENT of the goods delivered/services rendered.
- Payment shall be made within (30) days after 100% completion of delivery subject to submission and/or completion of supporting documents, in accordance with existing accounting rules and regulations. Please note that the corresponding bank transfer fee, if any, shall be chargeable to the contractor's/Supplier's account.

After having carefully read and accepted the Procurement Terms & Conditions, I/We quote you on the item at prices noted above.

PRINTED NAME/SIGNATURE OF AUTHORIZED REPRESENTATIVE

Designation: _____
 Company Name: _____
 Business Address: _____
PhilGEPS Registration No.: _____
 Telephone Number: _____
 Email Address: _____
 LandBank Account number (Optional): _____

PRRI RFQ Rev 6 Effectivity Date: February 01, 2021

