



## Bid Notice Abstract

### Request for Quotation (RFQ)

**Reference Number** 8568859  
**Procuring Entity** PHILIPPINE RICE RESEARCH INSTITUTE  
**Title** Procurement of IT Peripherals and Accessories (ALT22-03-0005C/ALT22-03-0010C)  
**Area of Delivery** Nueva Ecija

<b>Solicitation Number:</b>	PR no. 2022-02-0411, 2022-02-0412, 2022-02-0413	<b>Status</b>	<b>Active</b>
<b>Trade Agreement:</b>	Implementing Rules and Regulations	<b>Associated Components</b>	1
<b>Procurement Mode:</b>	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	<b>Bid Supplements</b>	0
<b>Classification:</b>	Goods	<b>Document Request List</b>	2
<b>Category:</b>	Information Technology Parts & Accessories & Perip	<b>Date Published</b>	30/03/2022
<b>Approved Budget for the Contract:</b>	PHP 454,300.00	<b>Last Updated / Time</b>	30/03/2022 00:00 AM
<b>Delivery Period:</b>	30 Day/s	<b>Closing Date / Time</b>	04/04/2022 17:00 PM
<b>Client Agency:</b>			
<b>Contact Person:</b>	Clarivel Ordonia Seguritan Admin Officer IV Maligaya Science City of Muñoz Nueva Ecija Philippines 3119 63-44-4560650 63-44-4560650 coseguritan@philrice.gov.ph		
<b>Description</b>  Item No. Quantity Unit Item and Description Unit Price Total Amount  1 2 piece Router Wireless MU-MIMO Gigabit Router, Simultaneous 2.4GHz 300 Mbps and 5GHz 867 Mbps connections for 1200 Mbps of total available bandwidth, 4 external antennas and one internal antenna, Processor Dual-Core CPU, supports 802.11ac standard, Compliant on IEEE 802.11n/b/g and IEEE 802.11ac/n/a Standards, Beamforming Capable, Dual-Band, Working Modes: Router Mode, Access Point Mode, 1A— Gigabit WAN Port 4A— Gigabit LAN Ports, One-Mesh softwareSupported 2 2 piece PoE Adapter/PoE injector PoE injector/PoE adapter Output Voltage: 48VDC, 2-4 Ampere Output Power Capacity: 15.4W Max 2x Gigabit RJ45 Port IEC-320 C6 Input Connector IEEE 802.3af PoE compliant Compatible with CCTV camera 3 2 unit USB Hub USB Hub - USB-C Input Interface; HDMI Ports Output Interface, 4k HDMI Port, MicroSD/SD card slot, USB-A ports support a data transfer speed of up to 5Gbps 4 10 piece Wireless Access Point Access Point Indoor Managed Wireless Access Point, 2.4GHz and 5GHz Dual Frequency, 300mbps 2.4GHz and 1200Mbps 5GHz throughput speeds, 2x2 MIMO Antenna, 23 dBm, 2.4GHz/5GHz TX power, 802.11ax Wireless Standards, PoE+ Capable 48V, 10/100/1000 Ethernet Port, 8 BSSID per Radio, 802.1QVLANSupport, WPA-PSK, WPA-Enterprise (WPA/WPA2/WPA3*), WiFi Standards: 802.11a/b/g, Concurrent Clients 300+, Compatible with existing Ubiquiti UniFi Network Controller 5 2 piece Wireless Access Point Indoor Managed Wireless Access Point, 2.4GHz and 5GHz Dual Frequency, 300mbps 2.4GHz and 1200Mbps 5GHz throughput speeds, 2x2 MIMO Antenna, 23 dBm, 2.4GHz/5GHz TX power, 802.11ax Wireless Standards, PoE+ Capable 48V, 10/100/1000 Ethernet Port, 8 BSSID per Radio, 802.1Q VLAN Support, WPA-PSK, WPA-Enterprise (WPA/WPA2/WPA3*), WiFi Standards:			

802.11a/b/g, Concurrent Clients 300+, Wall Mounting Kit Included, Compatible with existing Ubiquiti UniFi Network Controller  
 6 2 unit Data storage External Hard Drive, 1 TB, 2.5" HDD, USB 3.0  
 7 2 piece External Data Storage Data Storage 3TB, 2.5 HDD, USB 3.0  
 8 5 piece Network Switch Network Switch Layer 2 Managed, 8 RJ-45 auto-sensing 10/100/1000 ports, 802.3at/af PoE compliant, 2x G SFP Port, 10Gbps Throughput, 20 Gbps Switching Capacity, 14.88 Mpps Forwarding Rate, VLAN, QoS, SNMP v2/v3, SSH  
 Connection, 150W Power Consumption, 100-240VAC/50-60 Hz Universal Power Input, Compatible with existing Ubiquiti Uni-Fi Controller  
 9 3 piece Network Switch Network Switch Unmanaged Switch, 24 10/100/1000 Auto Sensing Ports, 48Gbps Switching Capacity, 35.71Mpps Forwarding Rate, 100-240VAC/50-60 Hz Universal Power Input  
 10 10 roll UTP cable UTP Cable Cat7 Pure Copper Cable, Shielded Foiled Twisted Pair, 23AWG, Insulated with HDPE polymer, LSZH-3 (IEC 60332-3) Flammability Rating, 802.3af/802.3at PoE compliant, Reel-in-a-Box  
 11 5 piece Patch cable Fiber Patch Cable SC-LC connector multimode dual core fiber optic patch cord - 3 Meters  
 12 5 piece Patch cable Fiber Patch Cable SC-SC connector multimode dual core fiber optic patch cord - 3 Meters  
 13 5 piece Patch cable Fiber Patch Cable LC-LC connector multimode dual core fiberoptic patch cord - 3 Meters  
 14 4 piece Laboratory device, SFP Transceiver and SFP Transceiver Multimode, 1000Base-SX LC port, 1Gigabit Full Duplex, compatible with HP/Aruba Network Switch

15 2 unit Power Supply Online UPS, 650VA  
 16 2 unit Keyboard Wireless Keyboard, branded, Bluetooth and USB receiver connection, AA battery, full-size with numpad, with universal stand (for cellphone or tablet); black  
 17 1 unit Power Supply UPS, 650VA/360watt, four batteries back-up outlets with surge protection, easy to use, AVR, power button, status indicator, resettable circuit breaker, computer-grade surge protection, cold-start capability  
 18 2 unit Webcam 1080p Full HD Sensor up to 30fps; dual omnidirectional mics; up to 1m mic range; autofocus; plug and play; flexible field of view; auto-light correction, Tripod-ready universal mounting clip fits laptops, LCD or monitors; with USB-A cable tripod

**TERMS AND CONDITIONS**  
 Delivery Period: 30 calendar days  
 Place of Delivery: Philippine Rice Research Institute-CES, Brgy. Maligaya, Science City of Munoz, Nueva Ecija ATI Building, Elliptical Road, Diliman, Quezon City  
 Others:  
 Warranty: 1 year (non-consumable supplies/Equipment) and 3 months (consumable supplies)  
 Payment Term: 30 calendar days

- Price Quotations must be valid for a period of 45 calendar days from the deadline of submission.
- Price quotations shall include all taxes, duties and/or levies. Deductions of 5% VAT & 1% EWT (for goods) or 5% VAT & 2% EWT (for services).
- Price Quotations exceeding the Approved Budget for the Contract shall be rejected.
- Award of contract shall be made to the lowest quotations (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and other terms and conditions stated herein
- In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the PhilRice shall adopt and employ "draw lots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.
- Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- The item/s shall be delivered according to the requirements specified in the Conformed Purchase Order or Contract.
- Goods, supplies, equipment, or work done are subject to inspection/acceptance, PhilRice reserves the right to cancel, reject, or rebid the items which do not conform with the technical specifications.
- Liquidated damages equivalent to 1/10 of 1% per day of delay for the value of undelivered items shall be imposed. PhilRice shall rescind the contract once the cumulative amount of liquidated damages reaches ten (10) percent of the amount of contract, without prejudice to other courses of actions and remedies open to it.
- The Bidder warrants that s/he has not given nor promised to give any money or gift to any PhilRice employee to secure this offer and to obtain an award.
- The winning Bidder is required to submit a photocopy of Latest Income/Business Tax Return and original copy of Omnibus Sworn Statement prescribed by the GPPB PRIOR TO PAYMENT of the goods delivered/services rendered.
- Payment shall be made within (30) days after 100% completion of delivery subject to submission and/or completion of supporting documents, in accordance with existing accounting rules and regulations. Please note that the corresponding bank transfer fee, if any, shall be chargeable to the contractor's/Supplier's account. After having carefully read and accepted the Procurement Terms & Conditions, I/We quote you on the item at prices noted above.

**Created by** Clarivel Ordonia Seguritan

**Date Created** 29/03/2022

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

