Quality Rice. Quality Life.	

Date:	2022-06-10	

REQUEST FOR QUOTATION

Sir/Madam:

Please quote your best offer for the item/s listed below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than June 17, 2022 5:00PM to bacsecretariatprri@gmail.com or send via fax or drop at PPMU box at Procurement Management Division (PMD) Office, Maligaya, Science City of Munoz, Nueva Ecija. For any clarification you may call/send through fax to (044) 456-0650 or BAC Secretariat no. 0999-224-8705

Jan Karlo D. Lucas BUYER/CANVASSER

Glenda D. Ravelo Division Head, PMD

INSTRUCTIONS:

Accomplish this RFQ correctly and accurately.

- Please do not leave any blank items. Indicate "0" if item being offered is for free and "NO BID" if no offer.
- 3. Do not alter the contents of this form in any way.
- 4. All technical specifications are mandatory. Fill in the column designated for technical specifications of your offer, you may specify the brand and model if applicable. Use additional sheet if needed or attach brochure.
- 5. Failure to follow these instructions will disqualify your quotation.
- NEW suppliers/bidders are required to submit a photocopy/e-copy of valid Mayor's Business Permit, BIR Registration 2303, DTI/SEC/CDA Registration (whichever is applicable), valid PhilGEPS Registration Number and valid PCAB License (if applicable) together with their quotations. Please disregard if you have submitted an updated copy/ies to PMD. This shall be subjected for validation.

Procurement Project Title:

Procurement of ICT Equipment and Accessories

Procurement Project No.:

ALT22-04-0014C/ALT22-04-0015C PR No.:

2022-05-1376, 2022-05-1366, 2022-05-1367, 2022-05-1456, 2022-05-1426, 2022-05-1433,

2022-05-1369,

oved Budget of the Contract: 258 180 00

Item No.				Unit Price	Total Amount	
	1		Per Request	Offer		
1	350	piece	RJ45 PlugCat6 RJ45, 8P8C, 50Micron Gold plated contacts, for 23 AWG solid wire cables			
2	2	piece	Converter/Adapter 8 in 1 USB C Hub Multiport Adapter Type C To USB-C 4K HDMI Adapter USB 3.0 Cable For Macbook Air			
3	2	piece	Converter/Adapter Quick Charge 3.0 Wall Charger 18W USB Adapter with 1 Meter Micro USB Fast Charging Cable			
4	1	unit	USB Hub 4-port USB 3.0 Hub 5Gbps High- speed USB splitter (1meter cable length) w/ micro usb 5V power port			
5	3	roll	STP cable Cat6 Solid Bare Copper Cable Shielded Twisted Pair 23AWG Conductor Wire PE InsulationType Aluminum Foil Cable Shield ESD Drain Wire Rip Cord			
6	2	roll	UTP cableCat6 Pure Copper Cable Unshielded Twisted Pair 23AWG Insulated with HDPE polymer PVC-LSZH Flame Retardant Jacket 802.3af/802.3at PoE compliant with Cross Divider 305meters/box			

PRINTED NAME/SIGNATURE OF AUTHORIZED REPRESENTATIVE











			Third Party tested		1
7	1400	piece	RJ45 PlugCat6 RJ45, 8P8C, 50Micron Gold plated contacts, for 23 AWG solid wire cables		
8	50	piece	RJ45 Cat6 Module/keystone jack Cat6 110 type IDC punch down connectors, T568A and B compliant, Color coded wiring diagram next to wireclips Standard keystone face size (14.5 x 16.0 MM), Can be used with keystone wall plates, patch panels, or surface mount boxes		
9	2	unit	Monitor stand Dual Monitor Mount Stand with laptop bracket (compatible up to 15.6" laptops) TWO MONITORS AT ONCE: Fits most 22"- 32" Monitors with the load from 4.4 -19.8 lbs (2-9KG) DESK CLAMP Allows +85 to -30 screen tilt adjustment, 360 rotation		
10	1	unit	Single Monitor Mount Stand Single MONITOR: Fits most 32-35 inch Monitor with the load from 4.4 -19.8 lbs (2-9KG) DESK CLAMP Allows +85 to -30 screen tilt adjustment, 360 rotation		
11	4	Company	Monitor stand Dual Monitor Mount Stand TWO MONITORS AT ONCE: Fits most 22"- 32" Monitors with the load from 4.4 -19.8 lbs (2-9KG) DESK CLAMP Allows +85 to -30 screen tilt adjustment, 360 rotation		
12	2	piece	USB to LANAdapter Type C to HDMI adapter, 4K UHD Dock Station USB Converter *Compatible with HP Envy Laptop		
13	2	piece	USB to LANAdapter USB 3.0 to Ethernet Adapter, Chip: AX88179, Shielding Aluminum Foil, #26AWG + 30AWG cable, Interface: Nickel Plated, Tranmission Speed: 10/100/1000mbps		
14	3	piece	Router Gigabit Dual-Band WiFi 6 Router Working Mode: Router Mode, Access Point Mode, 1.5GHz Quad-Core CPU, 1 Gigabit WAN Port, 4 Gigabit LAN Ports, 1 USB 3.0 Port USB (Plug and share file accross network), 4 Fixed High- Performance Antennas, Service Kits: HomeCare Refined security WPA3 WiFi encryption Wireless Standard: Wi-Fi 6 IEEE 802.11ax/ac/n/a 5 GHz IEEE 802.11ax/n/b/g 2.4 GHz		

PRINTED NAME/SIGNATURE OF AUTHORIZED REPRESENTATIVE











15	2	unit	USB Hub 4 Ports USB 3.0 Hub		
16	2	unit	Power Supply Back-up power supply, uninterruptible power source- 100% Genuine, Original and Brand New - power and protect critical electronics and stay connected during outages, surges and lighting Technical Specification: 5 outlets (4 universal, 1 IEC 60320 C13), 1200VA/650W, AVR Technology, Surge Protection, Easy to use Output Capacity: 1200VA/650W Output (on battery): 220V-240V, 50/60Hz +/- 1Hz Input Power: 220V-240V, 50/60Hz +/- 5Hz (auto sensing) Surge: 273 J Battery recharge time: 8 hours No. of Outlets: 5 - 4 universal, 1 IEC 60320 C13 Dimension: 39 x 19 x 14 cm Battery Type: Lead-Acid		
17	2	piece	External Data Storage Capacity: 2TB, interface: USB 3.0, height: 9.6, length: 113.5 mm, width: 76 mm		
18	1	unit	Monitor LED Flat Computer Monitor, Full HD, 24 inches		
19	1	piece	External Data Storage Portable External Hard Drive, 1 TB		
20	2	piece	Memory Card Class 10 UHS-I speeds up to 80MB/s Capacity 64gb		
21	1	piece	Card Reader All in One USB 3.0 Memory Card Reader Specification: -Compliant with USB 3.0 standard, support speeds up to 5Gbps; -With 4 card slots: CF/TF/SD/MS; One reader for multi- cards, economical and portableCompatible with Windows XP/Vista/7/8/8.1./10, Mac OS, Linux, etcPlug & play, no driver installation required -Size: 55mm(length) X 68mm(width) X 15mm(height); -USB 3.0 cable length: 50cm; Product Compatibility: *SD slot: SDXC/SDHC/SD/Extreme I III SD/Ultra II SD/MMC *Micro SD slot (TF): Micro SDXC/Micro SDHC/Micro SD *CF slot: CF I 3.0 4.0 / EXTREME I III CF/ULTRA II CF/ HS CF/XS-XS CF/CF ELITE PRO/ CF PRO/CF PRO II		
22	2	unit	Multi-Tester Network tester RJ45, RJ11, RJ22 tester (LED		

PRINTED NAME/SIGNATURE OF AUTHORIZED REPRESENTATIVE











23	1	piece	indicators for continuity) Test the correct pin configuration of 10Base-T, 10Base-2 Ethernet cable, RJ45/RJ11/RJ22 modular cables, 258A, TIA 568A/568B and Token Ring Cable etc. Battery 9Volts Tools, Wire tracker		
25	'	piece	Tone Generator/Wire tracker		
24	1	unit	Telephone line tester Functions and features: Dial tone checker, High DC voltage indication, AC V & DC V test, Insulation test, Open test, Earth insulation, Call user & talk, Phone test, Dialing, Receiving, Redial, Incoming call number display, Mute function, P/T transfer function, Check wire pairs, Monitor function, High AC voltage alarm, Under voltage self-checking 9 Volts battery, RJ11 connector, test probes and clips		
25	11	piece	Tools, Crimper All-in-one crimping tool RJ45, RJ11, RJ22 (8P8C, 6P6C, 6P4C, 4P4C) connector crimper with wire stripper and cutter.		
26	1	piece	Mechanic Tools, Digital tester Fiber Optic Visual Fault Locator Laser Output: 1mW 5KM, Waveleght: 650nm, 2Hz, Universal connector, Laser Type: LD, Battery: AAx2		
27	9	unit	Multi-Tester RJ11, RJ45, BNC cable tester,test and trace function, with tone generator/tracker (transmitter and reciever) with 30dB nominal gain, signal transfer distance up to 4 Km, 9V battery type, 100 Ohm input impedance, for telephone and LAN network		
28	9	piece	Punch down tool 110 punch down tool, 110 blade Insert and Cut terminations in-1, high and low impact adjustment, carbon steel		
29	9	piece	Punch down tool Wire Stripper, Cable stripper, cutter, rotary, UTP, network stripper		

TERMS AND CONDITIONS

Delivery Period:

30 calendar days

Place of Delivery:

- Philippine Rice Research Institute-CES, Brgy. Maligaya, Science City of Munoz, Nueva Ecija
- O ATI Bldg, Elliptical Road, Diliman, Quezon City (Drop off/Pick-up point)

Others:

Warranty: Payment Term: 1 year (non-consumable supplies/Equipment) and 3 months(consumable supplies)

30 calendar days

- 1. Price Quotations must be valid for a period of 45 calendar days from the deadline of submission.
- 2. Price quotations shall include all taxes, duties and/or levies. Deductions of 5% VAT & 1% EWT (for goods) or 5% VAT & 2% EWT (for services).

3. Price Quotations exceeding the Approved Budget for the Contract shall be rejected.

- 4. Award of contract shall be made to the lowest quotations (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and other terms and conditions stated herein
- 5. In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the PhilRice shall adopt and employ "draw lots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.
- 6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 7. The item/s shall be delivered according to the requirements specified in the Conformed Purchase Order or Contract.

PRINTED NAME/SIGNATURE OF AUTHORIZED REPRESENTATIVE

A food-secure and resilient Philippines
with empowered and prosperous farmers and fisherfolk









8. Goods, supplies, equipment, or work done are subject to inspection/acceptance, PhilRice reserves the right to cancel, reject, or rebid the items which do not conform with the technical specifications.

9. Liquidated damages equivalent to 1/10 of 1% per day of delay for the value of undelivered items shall be imposed. PhilRice shall rescind the contract once the cumulative amount of liquidated damages reaches ten (10) percent of the amount of contract, without prejudice to other courses of actions and remedies open to it.

10. The Bidder warrants that s/he has not given nor promised to give any money or gift to any PhilRice employee to secure this offer and to obtain an award.

11. The winning Bidder is required to submit a photocopy of Latest Income/Business Tax Return and original copy of Omnibus Sworn Statement prescribed by the GPPB PRIOR TO PAYMENT of the goods delivered/services rendered.

12. Payment shall be made within (30) days after 100% completion of delivery subject to submission and/or completion of supporting documents, in accordance with existing accounting rules and regulations. Please note that the corresponding bank transfer fee, if any, shall be chargeable to the contractor's/Supplier's account.

After having carefully read and accepted the Procurement Terms & Conditions, I/We quote you on the item at prices noted above.

PRINTED NAME/	SIGNATURE OF AUTHORIZED REPRESENTATIVE
Designation:	
Company Name:	
Business Address:	
PhilGEPS Registration No.:	
Telephone Number:	
Email Address:	







