

BIDDING DOCUMENT

FOR THE

SUPPLY AND DELIVERY OF COMMUNICATION, ICT EQUIPMENT AND ACCESSORIES FOR PHILRICE CES

PB 23-04-19



Better PhilRice. Better Rice Communities.

Email: prri.mail@mail.philrice.gov.ph Text Center: (+63) 917-111-7423 Websites: www.philrice.gov.ph, www.pinoyrice.com Liaison Office: 3rd Floor, ATI building, Elliptical Road, Diliman, Quezon City Mobile No.: (+63)928-915-9628

Table of Contents

Secti	on I. Invitation to Bid	3
Secti	on II. Instruction to Bidders	6
1.	Scope of Bid	7
2.	Funding Information	7
3.	Bidding Requirements	7
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	7
5.	Eligible Bidders	7
6.	Origin of Goods	8
7.	Subcontracts	8
8.	Pre-Bid Conference	8
9.	Clarification and Amendment of Bidding Documents	8
10.	Documents comprising the Bid: Eligibility and Technical Components	8
11.	Documents comprising the Bid: Financial Component	9
12.	Bid Prices	9
13.	Bid and Payment Currencies	9
14.	Bid Security	9
15.	Sealing and Marking of Bids	10
16.	Deadline for Submission of Bids	10
17.	Opening and Preliminary Examination of Bids	10
18.	Domestic Preference	10
19.	Detailed Evaluation and Comparison of Bids	10
20.	Post-Qualification	11
21.	Signing of the Contract	11
Secti	on III. Bid Data Sheet	12
Secti	on IV. General Conditions of Contract	14
1.	Scope of Contract	15
2.	Advance Payment and Terms of Payment	15
3.	Performance Security	15
4.	Inspection and Tests	15
5.	Warranty	15
6.	Liability of the Supplier	16
Secti	on V. Special Conditions of Contract	17
	on VI. Schedule of Requirements	
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	

Section I. Invitation to Bid



INVITATION TO BID FOR THE

SUPPLY AND DELIVERY OF COMMUNICATION, ICT EQUIPMENT AND ACCESSORIES FOR PHILRICE CES PB 23-04-19

- 1. The **Philippine Rice Research Institute-Central Experiment Station**, through the **2023 Corporate Fund Budget** intends to apply the sum of **ONE MILLION SIX HUNDRED SIXTEEN THOUSAND NINE HUNDRED FORTY SIX PESOS ONLY (PhP 1,616,946.00)** being the ABC to payments under the contract or the **SUPPLY AND DELIVERY OF COMMUNICATION, ICT EQUIPMENT AND ACCESSORIES FOR PHILRICE CES** under **PB 23-04-19**. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The **Philippine Rice Research Institute-Central Experiment Station** now invites bids for the above Procurement Project. Delivery of the Goods is required within the period specified in the Schedule of Requirements. Bidders should have completed, within **two (2) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non- discretionary *"pass/fail"* criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from PhilRice-CES through telecommunication or video conferencing during office hours and inspect the Bidding Documents at the PhilGEPS and PhilRice websites. (Kindly refer to the schedule below).
- 5. A complete set of Bidding Documents may be acquired by interested Bidders from the address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB in the amount of **One Thousand Five Hundred Pesos Only (PhP1,500.00).** The Procuring Entity shall allow the bidder to present its proof of payment for the fees either by facsimile, or through other electronic means.

We encourage bidders to download the bidding documents through PhilGEPS or the PhilRice website and pay through bank. Please coordinate with the BAC Secretariat through the email address and contact number given below for the bank details and procedure.

- 6. The **Philippine Rice Research Institute-Central Experiment Station** will hold a Pre-Bid Conference through video conferencing or webcasting via zoom on the date specified below which shall be open to all prospective bidders. Prospective bidders need to signify their intention to participate by sending an email to the address given below. A Personal Meeting ID will be sent through SMS or email for each participant at least one day before the event.
- 7. Bids must be duly received by the BAC Secretariat at the address below one (1) day before the opening of bids. (i) manual submission or through courier at the office address indicated below. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on **December 12, 2023 at 02:00 PM** at the address given below via zoom. Bids will be opened in the presence of the bidder's representatives who choose to attend the activity.





- 10. The **Philippine Rice Research Institute-Central Experiment Station** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. Please refer to the following schedule of activities:

Activity	Date/Time	Remarks
Acceptance of November 18 to Q		Queries on the bidding documents only.
queries through	December 12, 2023	Queries on the technical specifications
telephone or	(except Saturdays,	should be in formal writing sent
video call with the	Sundays and Holidays)	through email or fax, addressed to the
BAC Secretariat		BAC Chairperson through the BAC
	8:00AM to 05:00PM	Secretariat.
Availability of	November 18 to	Downloadable through PhilGEPS, PhilRice
Bidding	December 12, 2023	Website and can be requested through
documents and	(except Saturdays,	email.
acceptance of	Sundays and Holidays)	Please call the BAC Secretariat for the
Payment		procedures on online payment
	8:00AM to 05:00PM	
Pre-Bid	November 28, 2023;	Interested bidders shall signify intention to
Conference		bid through email. A Personal Meeting ID
	02:00 PM	will be sent through email to confirmed
		participants.
Deadline for the	on or before December 11,	Through personal delivery or through
submission of bids	2023	courier at the BAC Secretariat Office.
	until 5:00PM	
Bid Opening	December 12, 2023	A Personal Meeting ID will be sent to
		participants who submitted bid
	02:00 PM	proposals on time.

12. For further information, please refer to:

THE BAC SECRETARIAT

Procurement Management Division Philippine Rice Research Institute Maligaya, Science City of Munoz, Nueva Ecija Telefax: (044) 456-0285 (661) Mobile No. 0999-2248705 e-mail: bacsecretariat2@philrice.gov.ph

You may visit the following websites: For downloading of Bidding Documents: <u>www.philrice.gov.ph</u> and <u>www.philgeps.gov.ph</u> Date: November 17, 2023

LUIŚ ALĖJANDRE I. TAMANI Chairperson, BAC for Goods and Services

NOTICE/ANNOUNCEMENT

DA DOES NOT CONDONE ANY FORM OF SOLICITATION ON ANY PROSPECTIVE WINNING AND LOSING BIDDERS BY ANY OF OUR STAFF/EMPLOYEES OR ANY OTHER PARTY. ANY SORT OF THIS KIND SHALL BE REPORTED IMMEDIATELY TO THE OFFICE OF THE SECRETARY OR THE NATIONAL BUREAU OF INVESTIGATION (NBI) FOR ENTRAPMENT AND PROPER INVESTIGATION.



Section II. Instruction to Bidders

1. Scope of Bid

The Procuring Entity, **Philippine Rice Research Institute-Central Experiment Station** wishes to receive Bids for the **SUPPLY AND DELIVERY OF COMMUNICATION, ICT EQUIPMENT AND ACCESSORIES FOR PHILRICE CES** with identification number **PB 23-04-19**.

The Procurement Project (referred to herein as "Project") is composed of *twenty (20) items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **2023 Corporate Fund Budget** in the amount of **ONE MILLION SIX HUNDRED SIXTEEN THOUSAND NINE HUNDRED FORTY SIX PESOS ONLY (PhP 1,616,946.00).**
- 2.2. The source of funding is:

a. 2023 Regular Corporate Fund

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2.

- a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;

- iii. When the Goods sought to be procured are not available from local suppliers; or
- iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address (**see the Schedule of activities above**) and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within two (2) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille

Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - ii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.
- **14.** Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid **for 120 calendar days from the date of opening of bids.** Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

Bidders shall enclose their original eligibility and technical documents in one sealed envelope marked "ORIGINAL - TECHNICAL COMPONENT", and the original of their financial component in another sealed envelope marked "ORIGINAL - FINANCIAL COMPONENT", sealing them all in an outer envelope marked "ORIGINAL BID".

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.

- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

Option 3 - One Project having several items, which shall be awarded as separate contracts per item.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB			
Clause			
5.3	For this purpose, contracts similar to the Project shall be:		
	 a. SUPPLY AND DELIVERY OF COMMUNICATION, ICT EQUIPMENT AND ACCESSORIES with almost the same with our required technical specifications b. Completed within two (2) years prior to the deadline for the submission and receipt of bids, equivalent to at least fifty percent (50%) of the ABC. 		
12	The price of the Goods shall be quoted DDP and deliver to Philippine Rice Research Institute – Central Experiment Station , Brgy. Maligaya, Science City of Munoz, Nueva Ecija or the applicable International Commercial Terms (INCOTERMS) for		
14.1	this Project. The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:		
	a The amount of not less than Thirty Two Thousand Three Hundred Thirty Eight Pesos and 92/100 Only (PhP 32,338.92) (which is the amount equivalent to two percent (2%) of the ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or		
	b The amount of not less than <u>Eighty Thousand Eight Hundred Forty Seven</u> <u>Pesos and 30/100 Only (PhP 80,847.30)</u> (which is the amount equivalent to five percent (5%) of ABC] if bid security is in Surety Bond.		

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the Special Conditions of Contract **(**SCC).

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within **ten (10) calendar** days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair

or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

GCC Clause			
1	Delivery and Documents -		
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:		
	"The delivery terms applicable to this Contract are delivered to Philippine Rice Research Institute- Central Experiment Station, Science City of Munoz, Nueva Ecija . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."		
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).		
	For purposes of this Clause the Procuring Entity's representative at the project site is the Head of Property and Supply Management Unit/ OIC- Head of Procurement Management Division, Ms. Fe G. Alonzo or her authorized representatives.		
	Incidental Services –		
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:		
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;		
	 c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; 		
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and		
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.		
	Spare Parts –		
	Not applicable.		

Special Conditions of Contract

Packaging -
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.
The outer packaging must be clearly marked on at least four (4) sides as follows:
Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications
A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
 Transportation -
Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods

	Intellectual Property Rights –		
	Not applicable.		
2.2	Partial payment is not allowed.		
4	The inspections and tests that will be conducted are:		
	a. If applicable, the inspections and tests may be conducted on the premises of the Supplier at point of delivery, and/or at the goods' final destination. If conducted on the premises of the Supplier all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring Entity. The Supplier shall provide the Procuring Entity with results of such inspections and tests.		
	b. The Procuring Entity or its designated representative shall be entitled to attend the tests and/or inspections referred to in this Clause provided that the Procuring Entity shall bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all traveling and board and lodging expenses.		
	c. The Procuring Entity may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Procuring Entity, and shall repeat the test and/or inspection, at no cost to the Procuring Entity.		
	d. The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Procuring Entity or its representative, shall release the Supplier from any warranties or other obligations under this Contract.		

Section VI. Schedule of Requirements

SECTION VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item no.	Description	Quant ity	Unit	Total ABC	Division	Delivery Period
1	Mobile Phone	7	piece	287,000.00		
2	Mobile Phone	3	piece	49,500.00		
3	Mobile Phone	3	piece	143,970.00		
4	Mobile Phone	2	piece	61,000.00		
5	Tablet Computer	3	unit	132,000.00		
6	Tablet Computer	2	unit	38,000.00		
7	Laptop Bag	3	piece	6,510.00		
8	Laptop	2	unit	76,000.00		
9	Laptop	7	unit	314,230.00		
10	CPU	6	unit	299,970.00	ISD	30 days
11	CPU	1	unit	49,995.00	13D	upon receipt of
12	Video Transmission System	2	unit	61,980.00		PO/NTP
13	HDMI Splitter	3	unit	10,980.00		
14	Docking station	4	unit	10,760.00		
15	USB Hub	6	unit	22,194.00		
16	External Data Storage	3	piece	16,200.00		
17	Router	4	piece	18,360.00		
18	Memory Card	3	piece	5,097.00		
19	Scanner	3	unit	7,800.00		
20	Stylus Pen	3	unit	5,400.00		
	TOTAL ABC		DF	IP 1 616 946 00		

TOTAL ABC

PHP 1,616,946.00

Section VII. Technical Specifications

SECTION VII. Technical Specifications

JL	LIION VII. I echnica	a specifications
Item	Specification	Statement of Compliance Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.
	Seven (7) pieces Mobile Phone Network Technology: GSM / CDMA / HSPA / EVDO / LTE / 5G Dimensions: 1 46.7 x 71.5 x 7.4 mm (5.78 x 2.81 x 0.29 in) Weight:164 g (5.78 oz) Build: Glass front (Corning-made glass), glass back (Corning-made glass), aluminum frame Memory Card slot: No Internal: 128GB 4GB RAM Main Camera: Dual 12 MP, f/1.6, 26mm (wide), 1.4µm, dual pixel PDAF, OIS 12 MP, f/2.4, 13mm, 120° (ultra-wide), 1/3.6" Features Dual-LED dual-tone flash, HDR (photo/panorama) Video: 4K@24/30/60fps, 1080p@30/60/120/240fps, HDR, Dolby Vision HDR (up to 30fps), stereo sound rec. Selfie camera: Single 12 MP, f/2.2, 23mm (wide), 1/3.6" SL 3D, (depth/biometrics sensor) Features: HDR Video: 4K@24/30/60fps, 1080p@30/60/120fps, gyro-EIS SIM: Nano-SIM and eSIM or Dual SIM IP68 dust/water resistant (up to 6m for 30 min) Display Type: XDR OLED, HDR10, Dolby Vision, 625 nits (HBM), 1200 nits (peak) Size: 6.1 inches, 90.2 cm2 (~86.0%	

	screen-to-body ratio)	
	Resolution: 1170 x 2532 pixels, 19.5:9	
	ratio (~460 ppi density)	
	Protection: Ceramic Shield glass	
2	Three (3) pieces Mobile Phone	
	Network: GSM CDMA HSPA EVDO	
	LTE 5G	
	Display: 6.67 inches 1080x2400	
	pixels resolution	
	Processor: Octa-core (2x2.6GHz)	
	Memory: Internal- 256GB 8GB RAM	
	Camera: 50MP 8MP 2MP 16MP	
	Selfie Video-4K@30fps,	
	1080p@30/60/120fps, 720p@960fps	
	Sound: Stereo speakers 3.5mm jack	
	192kHz audio	
	SIM: Dual SIM	
	Others: Wi-Fi 802.11 a/b/g/n/ac/6	
	dual-band Wi-Fi Direct Bluetooth	
	5.2 GPS GLONASS BDS GALILEO	
	QZSS NFC Infrared Port USB Type-	
	C 2.0, OTG Sensors-Fingerprint	
	Battery: 5000mAh	
3	Three (3) pieces Mobile Phone	
	Network: GSM CDMA HSPA EVDO	
	LTE 5G	
	Display: 6.1 inches 1170x2532 pixels	
	resolution	
	Processor: Hexa-core (2x3.23GHz	
	4x1.82GHZ) GPU: 4-core	
	Memory: Internal- 128GB 4GB RAM	
	Camera: 12MP 12MP 12MP Selfie	
	Video-4K@24/30/60fps,	
	1080p@30/60/120/240fps, HDR	
	Sound: Stereo speakers	
	SIM: Nano-SIM eSim or dual SIM	
	Others: Wi-Fi 802.11 a/b/g/n/ac/6	
	dual-band Hotspot Bluetooth 5.0	
	GPS GLONASS BDS GALILEO QZSS	
	NFC USB 2.0, Lightning Sensors-	
	Face ID	
	Battery: 3240mAh	
4	Two (2) pieces Mobile Phone	
	Network: GSM HSPA LTE 5G	
	Display: 6.6 inches 1080x2460 pixels	
	resolution	
	Processor: Octa-core (2x2.2GHz	
	6x1.7GHZ)	
	Memory: Internal- 256GB 8GB RAM	
	Camera: 50MP 8MP 2MP 16MP	
	Selfie Video-1080p@30fps	
	Sound: Stereo speakers 3.5mm jack	
	SIM: Nano-SIM	
	Card Slot: microSDXC	
	Others: Wi-Fi 802.11 a/b/g/n/ac/6	
	Wi-Fi Direct Dual band Bluetooth	

	5.1 GPS GLONASS BDS GALILEO	
	NFC USB Type-C 2.0 Sensors-	
	Fingerprint	
	Battery: 5000mAh	<u></u>
5	Three (3) units Tablet Computer	
	Display: 10.9 inches Display	
	Processor: 8 core CPU, 8-core	
	graphics	
	Memory: RAM: 8GB ROM: 256GB	
	Camera: 12MP Ultra-Wide Front	
	Camera	
	1.8 aperture	
	Autofocus with Focus Pixels	
	Photo geotagging	
	Auto image stabilization	
	Others:	
	4K Video	
	USB Type C connector	
	Wi-Fi Connectivity	
	SIM slot	
	Built-in GPS/GNSS	
	20W USB C Power Adapter	
6	Two (2) units Tablet Computer	
	Network Technology: GSM / HSPA /	
	LTE	
	Display Type: TFT LCD	
	Size: 10.5 inches, 319.7 cm2 (~80.0%	
	screen-to-body ratio)	
	Resolution: 1200 x 1920 pixels, 16:10	
	ratio (~216 ppi density)	
	CPU: Octa-core (2x2.0 GHz Cortex-A75	
	& 6x2.0 GHz Cortex-A55)	
	Main Camera: 8 MP, AF	
	Video: 1080p@30fps	
	Selfie camera: 5 MP	
	Video: 1080p@30fps	
	WLAN Wi-Fi 802.11 a/b/g/n/ac, dual-	
	band, Wi-Fi Direct	
	Bluetooth: 5.0,	
	USB Type-C 2.0	
	With Sim Slot	
7	Three (3) pieces Laptop Bag	
	Laptop Travel backpack 30L	
	Size: (Wide*Thickness*Height)	
	30cm*15cm*46cm	
	Style: backpack	
	Volume: 30L	
	Interior: multiple compartments for	
	laptop, etc.	
	Material Type: waterproof oxford	
8	Two (2) units Laptop	
	(=) anno zaptop	
	Branded/Brand New Laptop	
	Processor: 6 cores (2 performance	
	cores + 4 efficient cores) / 8 threads.	
	1 = 0 = 0 = 1 = 0 in the first $1 = 0 = 0$ in the first $1 = 0$ in th	

4.4Ghz performance core max turbo frequency. 30Kb efficient core max turbo frequency. 10MB smart cache, 10nm Memory: 1x8GB Storage: 256GB SSD Audio: High Resolution Audio Ready Display: 14" FIID IPS LED display Operating System: Licensed Professional, latest 64-bit NTPS file 9 Beranded/Brand New Laptop Processor: 10 cores (2 performance cores + 8 efficient cores) / 12 threads. 4.4Ghz performance core max turbo frequency. 32Mb smart cache, 10m 10m Memory: 1x8GB Storage: 512GB SSD Display: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file 10 Six (6) units CPU Branded/Cloned/Assembled CPU Only Processor: 4 Cores [8 Threads] 3.3.GHz base frequency to A.3GHz turb frequency 112MB smart cache, 5MB L2 cache, 10m process with built-in graphics Memory: 16G BDR4 3200 (2x8GB) Storage: 17B NVME M2 SSD Audio: High Resolution Audio Ready Video: 4GB GDR6 Casing: ATX with PSU 500W 11 One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turb for equency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 17B NVME		1	
turbo frequency. 10MB smart cache, 10m Memory: 1x8GB Storage: 256GB SSD Audio: High Resolution Audio Ready Display: 14" FHD IPS LED display Operating System: Licensed Professional, Latest 64-bit NTFS file 9 9 Branded/Brand New Laptop Processor: 10 cores (2 performance cores + 8 efficient cores) / 12 threads. 4.4Ghz performance core max turbo frequency. 3.3Ghz efficient core max turbo frequency. 12MB smart cache, 10m Memory: 1x8GB Storage: 512GB SSD Display: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, Latest 64-bit NTFS file 10 Six (6) units CPU Branded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 1 12MB smart cache, 5MB L2 cache, 10m process with built-in graphics Memory: 16B DBR 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 40B GDR6 Casing: ATX with PSU 500W 11 One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turb forequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 3.2GB DDR4 3200 (2x4GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side pan		4.4Ghz performance core max turbo	
turbo frequency. 10MB smart cache, 10m Memory: 1x8GB Storage: 256GB SSD Audio: High Resolution Audio Ready Display: 14" FHD IPS LED display Operating System: Licensed Professional, Latest 64-bit NTFS file 9 9 Branded/Brand New Laptop Processor: 10 cores (2 performance cores + 8 efficient cores) / 12 threads. 4.4Ghz performance core max turbo frequency. 3.3Ghz efficient core max turbo frequency. 12MB smart cache, 10m Memory: 1x8GB Storage: 512GB SSD Display: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, Latest 64-bit NTFS file 10 Six (6) units CPU Branded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 1 12MB smart cache, 5MB L2 cache, 10m process with built-in graphics Memory: 16B DBR 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 40B GDR6 Casing: ATX with PSU 500W 11 One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turb forequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 3.2GB DDR4 3200 (2x4GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side pan		frequency, 3.3Ghz efficient core max	
10nm Memory: 1x8GB Storage: 256GB SSD Audio: High Resolution Audio Ready Display: 14" FID IPS LED display Operating System: Licensed Professional, latest 64-bit NTPS file 9 Branded/Brand New Laptop Processor: 10 cores (2 performance cores + 8 efficient cores) / 12 threads. 4.4Ghz performance core max turbo frequency. 3.3Ghz efficient core max turbo frequency. 12MB smart cache, 10mm Memory: 1x8GB Storage: 512GB SSD Display: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezig design Audio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file 10 Six (6) units CPU Branded/Cloned/Assembled CPU Only Processor: 4 Cores [8 Threads] 3.3GIL base frequency to 4.3GIL turb frequency 1 2MB smart cache, SMB L2 cache, 10nm process with built-in graphics Memory: 16GB DR4 3200 (2x8GB) Storage: 17B NVME M.2 SSD <th></th> <th></th> <th></th>			
Memory: 1x8GB Storage: 256GB SSD Audio: High Resolution Audio Ready Display: 14" FHD IPS LED display Operating System: Licensed Professional, latest 64-bit NTFS file 9 Seven (7) units Laptop Branded/Brand New Laptop Processor: 10 cores (2 performance cores + 8 efficient cores / 12 threads. 4.4Ghz performance core max turbo frequency, 3.3Ghz efficient core max turbo frequency. 12MB smart cache, 10mm Memory: 1x8GB Storage: 512GE SSD Display: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTPS file 10 Six (6) units CPU Branded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, SMB L2 cache, 10nm process with built: mgraphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME MZ			
Storage: 256GB SD Audio: High Resolution Audio Ready Display: 14" FHD IPS LED display Operating System: Licensed Professional, latest 64-bit NTFS file 9 Seven (7) units Laptop Processor: 10 cores (2 performance cores + 8 efficient cores) / 12 threads. 4.46Dz performance core max turbo frequency. 3.3Ghz efficient core max turbo frequency. 12MB smart cache, 10m Memory: 186B Storage: 512GB SD Display: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file 10 Six (6) units CPU Branded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, 5MB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W 11 One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency			
Audio-High Resolution Audio Ready Display: 14" FHD IPS LED display Operating System: Licensed Professional, latest 64-bit NTFS file 9 Seven (7) units Laptop Processor: 10 cores (2 performance cores + 8 efficient cores) / 12 threads. 4.4Gbz performance core max turbo frequency. 3.3Gbz efficient core max turbo frequency. 12MB smart cache, 10mm Memory: 1xRGB Storage: 512GB SSD Display: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life : 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file 10 Six (6) units CPU Branded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, 5MB L2 cache, 10mm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W 11 One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5GB Dba 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDR4 (2c0 Cy16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120mm RGB exhaust fans 12 Two (2) units Video Transmission		-	
Display: 14" FHD IPS LED display Operating System: Licensed Professional, latest 64-bit NTPS file 9 Seven (7) units Laptop 9 Branded/Brand New Laptop Processor: 10 cores (2 performance cores + 8 efficient cores) / 12 threads. 4.4.4Chz performance core max turbo frequency, 3.3Chz efficient core max turbo frequency. 12MB smart cache, 10m 10m Memory: 1x8GB Storage: 512GB SSD Display: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file 10 Six (6) units CPU Branded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, 5MB L2 cache, 10mm process with built-in graphics Memory: 16B DDR6 Casing: ATX with PSU 500W 11 One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10mm process Memory: 32GB DDR6 Casing: ATX with PSU 500W Taneaded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10mm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120mm RGB exhaust fans <th></th> <th>0</th> <th></th>		0	
Operating System: Licensed Professional, latest 64-bit NTFS file 9 Seven (7) units Laptop Processor: 10 cores (2 performance cores + 8 efficient cores) / 12 threads. 4.4Ghz performance core max turbo frequency. 3.3Ghz efficient core max turbo frequency. 12MB smart cache, 10nm Memory: 1x8GB Storage: 512GB SSD Display: 15.6* Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file 10 Six (6) units CPU Branded/Cloned/Assembled CPU only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, 5MB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: TB NVME M.2 SSD Audio: High Resolution Audio Ready Videe: 4GB CDDR6 Casing: ATX with PSU 500W 11 One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Chz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans 12 Two (2) units Video Transmission </th <th></th> <th></th> <th></th>			
Professional, latest 64-bit NTFS file 9 Seven (7) units Laptop 9 Branded/Brand New Laptop Processor: 10 cores (2 performance cores + 8 efficient cores / 12 threads. 4.4Ghz performance core max turbo frequency. 3.3Ghz efficient core max turbo frequency. 12MB smart cache, 10nm Memory: 1x8GB Storage: 512GB SSD Display: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file 10 Six (6) units CPU Branded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, SMB L2 cache, 10nm process with built-in graphics Memory: 16B DDR4 3200 (2x8GB) Storage: TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W 11 One (1) unit CPU			
9 Seven (7) units Laptop Processor: 10 cores (2 performance cores + 8 efficient cores) / 12 threads. 4.4chz performance core max turbo frequency, 3.3Ghz efficient core max turbo frequency. 12MB smart cache, 10nm Memory: 1x8GB Storage: 512CB SSD Display: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file 10 Six (6) units CPU Branded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turb frequency 12MB smart cache, 5MB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Videe: 4GB GDDR6 Casing: ATX with PSU 500W 11 One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 <th></th> <th></th> <th></th>			
Branded/Brand New Laptop Processor: 10 cores (2 performance cores + 8 efficient cores) / 12 threads. 4.4Gbz performance core max turbo frequency. 3.3Gbz efficient core max turbo frequency. 12MB smart cache, 10nm Memory: Ix8GB Storage: 512GB SSD Display: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file 10 Six (6) units CPU Branded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz Abase frequency to 4.3GHz turbo frequency 12MB smart cache, 5MB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDR6 Casing: ATX with PSU 500W 11 One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12		Professional, latest 64-bit NTFS file	
Processor: 10 cores (2 performance cores + 8 efficient cores) / 12 threads.4.4Ghz performance core max turbo frequency. 3.3Ghz efficient core max turbo frequency. 12MB smart cache, 10mmMemory: 1x8GB Storage: 512GB SSD Display: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hoursOperating System: Licensed Professional, latest 64-bit NTFS file10Six (6) units CPUBranded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads] 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, 5MB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M2 SSD Audio: High Resolution Audio Ready Video: 4CB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency 18MB smart cache, 7.5MB L2 cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M2 SSD Audio: High Resolution Audio Ready Video: 4.5B DDR4 3200 (2x16GB) Storage: 1TB NVME M2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission	9	Seven (7) units Laptop	
Processor: 10 cores (2 performance cores + 8 efficient cores) / 12 threads.4.4Ghz performance core max turbo frequency. 3.3Ghz efficient core max turbo frequency. 12MB smart cache, 10mmMemory: 1x8GB Storage: 512GB SSD Display: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hoursOperating System: Licensed Professional, latest 64-bit NTFS file10Six (6) units CPUBranded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads] 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, 5MB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M2 SSD Audio: High Resolution Audio Ready Video: 4CB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency 18MB smart cache, 7.5MB L2 cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M2 SSD Audio: High Resolution Audio Ready Video: 4.5B DDR4 3200 (2x16GB) Storage: 1TB NVME M2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission			
Processor: 10 cores (2 performance cores + 8 efficient cores) / 12 threads.4.4Ghz performance core max turbo frequency. 3.3Ghz efficient core max turbo frequency. 12MB smart cache, 10mmMemory: 1x8GB Storage: 512GB SSD Display: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hoursOperating System: Licensed Professional, latest 64-bit NTFS file10Six (6) units CPUBranded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads] 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, 5MB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M2 SSD Audio: High Resolution Audio Ready Video: 4CB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency 18MB smart cache, 7.5MB L2 cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M2 SSD Audio: High Resolution Audio Ready Video: 4.5B DDR4 3200 (2x16GB) Storage: 1TB NVME M2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission		Branded/Brand New Laptop	
cores + 8 efficient cores) / 12 threads.4.4Ghz performance core max turbo frequency. 3.3Ghz efficient core max turbo frequency. 12MB smart cache, 10nm Memory: 1x8GB Storage: 512GB SSD Display: 15.6° Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file10Six (6) units CPUBranded/Cloned/Assembled CPU OnlyProcessor: 4 Cores 8 Threads] 3.3GHz base frequency to 4.3GHz turbo frequency 112MB smart cache, 5MB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: TTB NVME M2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: TTB NVME M2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission		,	
4.4Ghz performance core max turbo frequency, 3.3Ghz efficient core max turbo frequency, 12MB smart cache, 10nm Memory: 1x8GB Storage: 512GB SSD Display: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file 10 Six (6) units CPU Branded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, 5MB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4CB GDDR6 Casing: ATX with PSU 500W 11 One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 cache, 10nm			
frequency, 3.3Ghz efficient core max turbo frequency. 12MB smart cache, 10nmMemory: 1x8GB Storage: 512GB SSDDisplay: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel designAudio: High Resolution Audio Ready Battery Life: 7 hoursOperating System: Licensed Professional, latest 64-bit NTFS file10Six (6) units CPUBranded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, 5MB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W11One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 			
turbo frequency. 12MB smart cache, 10mmMemory: 1x8GBStorage: 512GB SSDDisplay: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel designAudio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file10Six (6) units CPUBranded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, SMB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB CDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120m RGB exhaust fans12Two (2) units Video Transmission		-	
10nmMemory: 1x8GBStorage: 512GB SSDDisplay: 15.6° Full HD (1920x1060),144Hz Refresh Rate, IPS Level, Thinbezel designAudio: High Resolution Audio ReadyBattery Life: 7 hoursOperating System: LicensedProfessional, latest 64-bit NTFS file10Six (6) units CPUBranded/Cloned/AssembledCPU OnlyProcessor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHzturbo frequency 12MB smart cache,SMB L2 cache, 10nm process withbuilt-in graphicsMemory: 16GB DDR4 3200 (2x8GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyVideo: 4GB GDDR6Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/AssembledCPU OnlyProcessor: 6 performance cores / 12threads, 2.5Ghz base frequency to4.4Ghz turbo frequency, 18MB smartcache, 7.5MB L2 Cache, 10nm processMemory: 32GB DDR4 3200 (2x16GB)Storage: TIB NVME M.2 SSDAudio: High Resolution Audio ReadyCasing: ATX with PSU 500W 11One (1) unit CPUBranded/Cloned/AssembledCPU OnlyProcessor: 6 performance cores / 12threads, 2.5Ghz base frequency to4.4Ghz turbo frequency, 18MB smartcache, 7.5MB L2 Cache, 10nm processMemory: 32GB DDR4 3200 (2x16GB)Storage: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans1			
Memory: 1x8GBStorage: 512GB SSDDisplay: 15.6" Full HD (1920x1060),144Hz Refresh Rate, IPS Level, Thinbezel designAudio: High Resolution Audio ReadyBattery Life: 7 hoursOperating System: LicensedProfessional, latest 64-bit NTFS file10Six (6) units CPUBranded/Cloned/AssembledCPU OnlyProcessor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHzturbo frequency 12MB smart cache,SMB L2 cache, 10nm process withbuilt-in graphicsMemory: 16GB DDR4 3200 (2x8GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyVideo: 4 GB GDDR6Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/AssembledCPU OnlyProcessor: 6 performance cores / 12threads, 2.5Ghz base frequency to4.4Ghz turbo frequency, 18MB smartcache, 7.5MB L2 Cache, 10nm processMemory: 32GB DDR4 3200 (2x16GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyVideo: 4.4Ghz turbo frequency, 18MB smartcache, 7.5MB L2 Cache, 10nm processMemory: 32GB DDR4 3200 (2x16GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyCasing: ATX with PSU 500W Transparent side panel x 4 pcs 120mm RGB exhaust fans12Two (2) units Video Transmission			
Storage: 512GB SSDDisplay: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel designAudio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file10Six (6) units CPUBranded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, SMB L2 cache, 10m process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission			
Display: 15.6" Full HD (1920x1060), 144Hz Refresh Rate, IPS Level, Thin bezel designAudio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file10Six (6) units CPUBranded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, SMB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU Only11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission		Memory: 1x8GB	
144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file 10 Six (6) units CPU Branded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, SMB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4CB GDDR6 Casing: ATX with PSU 500W 11 One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans 12		Storage: 512GB SSD	
144Hz Refresh Rate, IPS Level, Thin bezel design Audio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file 10 Six (6) units CPU Branded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, SMB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4CB GDDR6 Casing: ATX with PSU 500W 11 One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans 12		Display: 15.6" Full HD (1920x1060),	
bezel designAudio: High Resolution Audio Ready Battery Life: 7 hoursOperating System: Licensed Professional, latest 64-bit NTFS file10Six (6) units CPUBranded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, 5MB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission			
Audio: High Resolution Audio Ready Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file10Six (6) units CPUBranded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, 5MB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4.9 Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission			
Battery Life: 7 hours Operating System: Licensed Professional, latest 64-bit NTFS file 10 Six (6) units CPU Branded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, 5MB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W 11 Dne (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans 12 Two (2) units Video Transmission		8	
Operating System: Licensed Professional, latest 64-bit NTFS file10Six (6) units CPUBranded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, SMB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120mm RGB exhaust fans12Two (2) units Video Transmission			
Professional, latest 64-bit NTFS file10Six (6) units CPUBranded/Cloned/Assembled CPU OnlyProcessor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, SMB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4CB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120mm RGB exhaust fans12Two (2) units Video Transmission		-	
10 Six (6) units CPU Branded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, SMB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W 11 One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans 12 Two (2) units Video Transmission			
Branded/Cloned/Assembled CPU Only Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHz turbo frequency 12MB smart cache, 5MB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W 11 One (1) unit CPU Branded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans 12			
CPU OnlyProcessor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHzturbo frequency 12MB smart cache,5MB L2 cache, 10nm process withbuilt-in graphicsMemory: 16GB DDR4 3200 (2x8GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyVideo: 4GB GDDR6Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/AssembledCPU OnlyProcessor: 6 performance cores / 12threads, 2.5Ghz base frequency to4.4Ghz turbo frequency, 18MB smartcache, 7.5MB L2 Cache, 10nm processMemory: 32GB DDR4 3200 (2x16GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyCasing: ATX with PSU 500W Transparent side panel x 4 pcs 120m RGB exhaust fans12Two (2) units Video Transmission	10	Six (6) units CPU	
CPU OnlyProcessor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHzturbo frequency 12MB smart cache,5MB L2 cache, 10nm process withbuilt-in graphicsMemory: 16GB DDR4 3200 (2x8GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyVideo: 4GB GDDR6Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/AssembledCPU OnlyProcessor: 6 performance cores / 12threads, 2.5Ghz base frequency to4.4Ghz turbo frequency, 18MB smartcache, 7.5MB L2 Cache, 10nm processMemory: 32GB DDR4 3200 (2x16GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyCasing: ATX with PSU 500W Transparent side panel x 4 pcs 120m RGB exhaust fans12Two (2) units Video Transmission			
Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHzturbo frequency 12MB smart cache,5MB L2 cache, 10nm process withbuilt-in graphicsMemory: 16GB DDR4 3200 (2x8GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyVideo: 4GB GDDR6Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/AssembledCPU OnlyProcessor: 6 performance cores / 12threads, 2.5Ghz base frequency to4.4Ghz turbo frequency, 18MB smartcache, 7.5MB L2 Cache, 10nm processMemory: 32GB DDR4 3200 (2x16GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyCasing: ATX with PSU 500W Transparent side panel x 4 pcs 12Two (2) units Video Transmission		Branded/Cloned/Assembled	
Processor: 4 Cores 8 Threads 3.3GHz base frequency to 4.3GHzturbo frequency 12MB smart cache,5MB L2 cache, 10nm process withbuilt-in graphicsMemory: 16GB DDR4 3200 (2x8GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyVideo: 4GB GDDR6Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/AssembledCPU OnlyProcessor: 6 performance cores / 12threads, 2.5Ghz base frequency to4.4Ghz turbo frequency, 18MB smartcache, 7.5MB L2 Cache, 10nm processMemory: 32GB DDR4 3200 (2x16GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyCasing: ATX with PSU 500W Transparent side panel x 4 pcs 12Two (2) units Video Transmission		CPU Only	
3.3GHz base frequency to 4.3GHzturbo frequency 12MB smart cache,5MB L2 cache, 10nm process withbuilt-in graphicsMemory: 16GB DDR4 3200 (2x8GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyVideo: 4GB GDDR6Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/AssembledCPU OnlyProcessor: 6 performance cores / 12threads, 2.5Ghz base frequency to4.4Ghz turbo frequency, 18MB smartcache, 7.5MB L2 Cache, 10nm processMemory: 32GB DDR4 3200 (2x16GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyCasing: ATX with PSU 500W Transparent side panel x 4 pcs 120m RGB exhaust fans		-	
turbo frequency 12MB smart cache, SMB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission		· · ·	
5MB L2 cache, 10nm process with built-in graphics Memory: 16GB DDR4 3200 (2x8GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission		I P	
built-in graphicsMemory: 16GB DDR4 3200 (2x8GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyVideo: 4GB GDDR6Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/AssembledCPU OnlyProcessor: 6 performance cores / 12threads, 2.5Ghz base frequency to4.4Ghz turbo frequency, 18MB smartcache, 7.5MB L2 Cache, 10nm processMemory: 32GB DDR4 3200 (2x16GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyCasing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission			
Memory:16GB DDR4 3200 (2x8GB)Storage:1TB NVME M.2 SSDAudio:High Resolution Audio ReadyVideo:4GB GDDR6Casing:ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory:32GB DDR4 3200 (2x16GB) Storage:Storage:1TB NVME M.2 SSD Audio:High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans1212Two (2) units Video Transmission12		_	
Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyVideo: 4GB GDDR6Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/AssembledCPU OnlyProcessor: 6 performance cores / 12threads, 2.5Ghz base frequency to4.4Ghz turbo frequency, 18MB smartcache, 7.5MB L2 Cache, 10nm processMemory: 32GB DDR4 3200 (2x16GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyCasing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission		.	
Audio: High Resolution Audio Ready Video: 4GB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission			
Video: 4GB GDDR6 Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU Only Processor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission			
Casing: ATX with PSU 500W11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission			
11One (1) unit CPUBranded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission		Video: 4GB GDDR6	
Branded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission		Casing: ATX with PSU 500W	
Branded/Cloned/Assembled CPU OnlyProcessor: 6 performance cores / 12 threads, 2.5Ghz base frequency to 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission	11	One (1) unit CPU	
CPU OnlyProcessor: 6 performance cores / 12threads, 2.5Ghz base frequency to4.4Ghz turbo frequency, 18MB smartcache, 7.5MB L2 Cache, 10nm processMemory: 32GB DDR4 3200 (2x16GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyCasing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12			
CPU OnlyProcessor: 6 performance cores / 12threads, 2.5Ghz base frequency to4.4Ghz turbo frequency, 18MB smartcache, 7.5MB L2 Cache, 10nm processMemory: 32GB DDR4 3200 (2x16GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyCasing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12		Branded/Cloned/Assembled	
Processor: 6 performance cores / 12threads, 2.5Ghz base frequency to4.4Ghz turbo frequency, 18MB smartcache, 7.5MB L2 Cache, 10nm processMemory: 32GB DDR4 3200 (2x16GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyCasing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission			
threads, 2.5Ghz base frequency to4.4Ghz turbo frequency, 18MB smartcache, 7.5MB L2 Cache, 10nm processMemory: 32GB DDR4 3200 (2x16GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyCasing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission			
 4.4Ghz turbo frequency, 18MB smart cache, 7.5MB L2 Cache, 10nm process Memory: 32GB DDR4 3200 (2x16GB) Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans 12 			
cache, 7.5MB L2 Cache, 10nm processMemory: 32GB DDR4 3200 (2x16GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyCasing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fansTable Store			
Memory: 32GB DDR4 3200 (2x16GB)Storage: 1TB NVME M.2 SSDAudio: High Resolution Audio ReadyCasing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans12Two (2) units Video Transmission		1 P	
Storage: 1TB NVME M.2 SSD Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans 12		· · · · ·	
Audio: High Resolution Audio Ready Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans 12 Two (2) units Video Transmission		•	
Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans 12 Two (2) units Video Transmission		-	
Casing: ATX with PSU 500W Transparent side panel x 4 pcs 120nm RGB exhaust fans 12 Two (2) units Video Transmission		Audio: High Resolution Audio Ready	
Transparent side panel x 4 pcs 120nm RGB exhaust fans 12 Two (2) units Video Transmission		с	
120nm RGB exhaust fans 12 Two (2) units Video Transmission			
12 Two (2) units Video Transmission			
	10		
System	12		
		System	

	SDI/HDMI Wireless Video	
	Transmission System	
	Transmitter and Receiver Set	
	Transmit up to 1080p60 Video	
	Transmit up to 400' to RX, 300' to App	
	SDI and HDMI Inputs and Outputs	
	L-Series Battery/USB Type-C/DC	
	Power	
	OLED Display, Low-Battery Warning	
	Extremely Low 0.1s Latency	
	5	
	Shoe Adapter & 1/4""-20 Mounting	
	Thread"	
13	Three (3) HDMI Splitter	
	HDMI Splitter, Distributes 1 HDMI	
	source to 4 HDMI Displays	
	simultaneously,	
	0	
	HDMI Splitter: Input-HDMI, Output-2	
	HDMI,	
	Power: DC 5V	
	Supports High Definition Resolution:	
	4KX2K @ 24 HZ, 1080p @ 60HZ,	
	720p/1080i @ 120Hz.	
	.,	
	Supports Digital Audio Format, such as	
	high definition audio support: Dolby	
	true HD, and DTS-HD Master audio	
14	Four (4) units Docking station	
	Dual-bay Hard Drive Docking Station	
	for 2.5/3.5 Inch HDD SSD SATA to USB	
	3.0 HDD Docking Station with 12V3A	
	Power Adapter	
15	Six (6) units USB Hub	
	USB C Hub 5 Gbps USB-C Hub with 4K	
	HDMI, 100W Power Delivery, USB-C	
	and 2 USB-A Data Ports, SD/TF Card	
	Reader, Multiport	
	10 in 1	
16	Three (3) pieces External Data	
	Storage	
	External SSD Interface USB Type USB	
	Type C to USB Type A/USB Type C to	
	USB Type C Connection Interface USB	
	3.1 Gen 2 Storage Flash Type 3D NAND	
	flash Capacity 1 TB Operating Voltage	
	5V Performance Read Speed (Max.) up	
	to 1,050 MB/s Write Speed (Max.) up	
	to 950 MB/s System Requirement	
	Operating System Microsoft Windows	
1 🗖	7, 8, 10, & 11, Mac OS X 10.5 or later;	
17	Four (4) pieces Router	
	Dual-Band Wi-Fi Capacity Router and	
	Access Point	
	Processor: Dual-Core	
	Standards: W-Fi6 IEEE	
	802.11ax/ac/n/a 5 GHz IEEE	

r		
	802.11ax/n/b/g 2.4 GHz	
	Antennas: Multiple antennas High	
	Performance	
	Wi-Fi Speeds: 5GHz 2.4GHz	
	Ports: Ethernet- 1GB WAN 4GB LAN	
	USB3.0	
	Others: Wi-Fi encryption Network	
	security – stateful packet inspection	
	firewall VPN	
	Certification: FCC RoHS CE	
18	Three (3) pieces Memory Card	
10	Three (5) preces memory card	
	Micro SD/TF Card 256GB UHS-I Class	
	3 with Adaptor	
	Read speeds up to 200MB/s and	
	1 1 /	
19	writes up to 190MB/s	
19	Three (3) units Scanner	
	Winsloss 1D 2D OD Code Dortable	
	Wireless 1D 2D QR Code Portable	
	Handheld Barcode Scanner Reader	
	2.4G with USB Receiver	
	Scanner type: Handheld/Portable	
	Scanner	
20	Three (3) units Stylus Pen	
	Universal for IOS and Android	
	Product Name: Universal stylus pen	
	Key Functions: Drawing, writing,	
	note-taking	
	Materials: Pen body in aluminum	
	alloy and nib in POM	
	Dimensions: 9.0mm pen body and	
	1.5mm nib	
	Working Hours: 8 hours	
	Standard Accessories: USB and type-C	
	Applications: Mobile phones, tablets	
	and other capacitive screens	
	*****nothing follows****	

I hereby verify to comply with all the above requirements.

Signature over the printed name of the authorized representative

Company name

Date

Section VIII. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

<u>Legal Documents</u>

(a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- □ (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
- □ (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
- □ (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission <u>or</u> Original copy of Notarized Bid Securing Declaration; <u>and</u>
- □ (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- □ (f) Original duly signed Omnibus Sworn Statement (OSS) and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

□ (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) **or A** committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

□ (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence <u>or</u> duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- □ (i) Original of duly signed and accomplished Financial Bid Form; **and**
- \Box (j) Original of duly signed and accomplished Price Schedule(s).

Other documentary requirements under RA No. 9184 (as applicable)

- (k) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- □ (l) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.