

PHILIPPINE BIDDING DOCUMENTS

**ONE (1) LOT SUPPLY, DELIVERY,
INSTALLATION, TESTING, AND
COMMISSIONING OF TWO (2)
SETS OF CAMERAS
PB 24-04-44**

**Sixth Edition
July 2020**

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	3
Section I. Invitation to Bid.....	6
Section II. Instructions to Bidders.....	9
1. Scope of Bid	10
2. Funding Information.....	10
3. Bidding Requirements	10
4. Corrupt, Fraudulent, Collusive, and Coercive Practices.....	10
5. Eligible Bidders.....	10
6. Origin of Goods	11
7. Subcontracts	11
8. Pre-Bid Conference	11
9. Clarification and Amendment of Bidding Documents	11
10. Documents comprising the Bid: Eligibility and Technical Components	11
11. Documents comprising the Bid: Financial Component	12
12. Bid Prices	12
13. Bid and Payment Currencies	13
14. Bid Security	13
15. Sealing and Marking of Bids	13
16. Deadline for Submission of Bids	13
17. Opening and Preliminary Examination of Bids	13
18. Domestic Preference	14
19. Detailed Evaluation and Comparison of Bids	14
20. Post-Qualification	14
21. Signing of the Contract	14
Section III. Bid Data Sheet	16
Section IV. General Conditions of Contract	19
1. Scope of Contract	20
2. Advance Payment and Terms of Payment	20
3. Performance Security	20
4. Inspection and Tests	20
5. Warranty	20
6. Liability of the Supplier	21
Section V. Special Conditions of Contract	22
Section VI. Schedule of Requirements	26
Section VII. Technical Specifications	28
Section VIII. Checklist of Technical and Financial Documents	29

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



**INVITATION TO BID FOR THE
ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, TESTING, AND COMMISSIONING OF
TWO (2) SETS OF CAMERAS PB 24-04-44**

1. The **DA-Philippine Rice Research Institute-Central Experiment Station**, through the **2024 Corporate Fund Budget** intends to apply the sum of **One Million Five Hundred Thousand Pesos Only (₱1,500,000.00)** being the ABC to payments under the contract for **PB 24-04-44**. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The **DA-Philippine Rice Research Institute-Central Experiment Station** now invites bids for the above Procurement Project. Delivery of the Goods is required within the period specified in the Schedule of Requirements. Bidders should have completed, within **two (2) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
4. Prospective Bidders may obtain further information from *DA-PhilRice CES* and inspect the Bidding Documents through the BAC Secretariat- Procurement Management Division at Philippine Rice Research Institute, Brgy. Maligaya, Science City of Muñoz, Nueva Ecija during Mondays to Fridays, except holidays from 8:00 A.M. to 5:00 P.M.
5. A complete set of Bidding Documents may be acquired by interested Bidders from the address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB in the amount of **One Thousand Five Hundred Pesos Only (₱1,500.00)**. The Procuring Entity shall allow the bidder to present its proof of payment for the fees either by facsimile, or through other electronic means.
6. The **DA-Philippine Rice Research Institute-Central Experiment Station** will hold a Pre-Bid Conference on October 14, 2024, 2:00 P.M. at the BAC Secretariat- Procurement Management Division Office, Philippine Rice Research Institute, Brgy. Maligaya, Science City of Muñoz, Nueva Ecija, and/or through video conferencing or webcasting *via Zoom*, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through (i) **manual submission** at the office address indicated below on or before **October 28, 2024; 10:00 A.M.** Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.

Better Rice Communities.



Philippine Rice Research Institute

Central Experiment Station
Maligaya, Science City of Muñoz, 3119 Nueva Ecija

- 9. Bid opening shall be on **October 28, 2024, at 01:00 P.M.** at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. Refer to the following bidding activities:

Advertisement/Posting of Bidding Document/Invitation to Bid	05 October 2024
Issuance and Availability of Bidding Document	05 October 2024
Pre-Bid Conference	14 October 2024, 2:00 P.M. via Zoom
Last day of Submission of Written Clarification	18 October 2024
Last day of Issuance of Bid Bulletin	21 October 2024
Deadline for Submission and Receipt of Bids	28 October 2024, 10:00 A.M.
Opening of Bids	28 October 2024, 01:00 P.M. (Face to face or via Zoom)

- 11. The **DA-Philippine Rice Research Institute-Central Experiment Station** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:
BAC Secretariat
Procurement Management Division
Philippine Rice Research Institute
Maligaya, Science City of Munoz, Nueva Ecija
Mobile No. 0999-2248705
e-mail: bacsecretariatprri@gmail.com/bacsecretariat2@philrice.gov.ph
You may visit the following websites:

For downloading of Bidding Documents:
www.philrice.gov.ph/www.philgeps.gov.ph

Date: 04 October 2024

-original signed-
LUIS ALEJANDRE I. TAMANI
Chairperson, BAC for Goods and Services

Better Rice Communities.

Email: prri.mail@mail.philrice.gov.ph Text Center: (+63) 917-111-7423
Websites: www.philrice.gov.ph, www.pinoyrice.com
Social Media: web.facebook.com/DAPhilRice
Liaison Office: 3rd Floor, ATI building, Elliptical Road, Diliman, Quezon City
Mobile No.: (+63)928-915-9628



Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, *DA- Philippine Rice Research Institute-Central Experiment Station* wishes to receive Bids for the **One (1) Lot Supply, Delivery, Installation, Testing, and Commissioning of Two (2) Sets of Cameras PB 24-04-44.**

The Procurement Project (referred to herein as "Project") is composed of one (1) item, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for *2024 Corporate Fund Budget* in the amount of **One Million Five Hundred Thousand Pesos Only (₱1,500,000.00).**

2.2. The source of funding is:

a. GOCC and GFIs, the Corporate Operating Budget.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.

5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the

Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

- a. **For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.**

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

- a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **two (2) years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for

Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in the **BDS**.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid for 120 calendar days from the deadline of submission of bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

Option 1 – One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.
- 21.2. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Framework

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause												
5.3	For this purpose, contracts similar to the Project shall be: <ul style="list-style-type: none"> a. Those contracts that are classified as, or similar but not limited to, those listed under Section VII. "Camera or similar IT Equipment" b. completed within two (2) years prior to the deadline for the submission and receipt of bids. 											
7.1	Subcontracting is not allowed. Clause 7.2 of the ITB is not applicable.											
12	The price of the Goods shall be quoted DDP and deliver to Philippine Rice Research Institute – Central Experiment Station, Brgy. Maligaya, Science City of Munoz, Nueva Ecija, or the applicable International Commercial Terms (INCOTERMS) for this Project.											
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: <table border="1" style="width: 100%; margin-top: 10px; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Lot No.</th> <th style="text-align: center;">Item/Description</th> <th style="text-align: center;">Cash, Cashier's / Manager's Check, Bank Draft/ Guarantee/ Irrevocable Letter of Credit (2%)</th> <th style="text-align: center;">Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission (5%)</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">Camera</td> <td style="text-align: center;">₱30,000.00</td> <td style="text-align: center;">₱75,000.00</td> </tr> </tbody> </table>				Lot No.	Item/Description	Cash, Cashier's / Manager's Check, Bank Draft/ Guarantee/ Irrevocable Letter of Credit (2%)	Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission (5%)	1	Camera	₱30,000.00	₱75,000.00
Lot No.	Item/Description	Cash, Cashier's / Manager's Check, Bank Draft/ Guarantee/ Irrevocable Letter of Credit (2%)	Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission (5%)									
1	Camera	₱30,000.00	₱75,000.00									
19.3	The NFCC computation, if applicable, must be sufficient for all the lots or contracts to be awarded to the Bidder: <table border="1" style="width: 100%; margin-top: 10px; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Lot No.</th> <th style="text-align: center;">Quantity</th> <th style="text-align: center;">Item/Description</th> <th style="text-align: center;">ABC</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">Lot</td> <td style="text-align: center;">Camera</td> <td style="text-align: center;">₱1,500,000.00</td> </tr> </tbody> </table>				Lot No.	Quantity	Item/Description	ABC	1	Lot	Camera	₱1,500,000.00
Lot No.	Quantity	Item/Description	ABC									
1	Lot	Camera	₱1,500,000.00									
20.2	For post-qualification purposes, the following <i>must be submitted (to be included in the financial proposal)</i> : Latest income and business tax returns filed and paid through the Bureau of Internal Revenue (BIR) Electronic Filing and Payment System (eFPS) for the last six (6) months prior to the opening of bids <ul style="list-style-type: none"> a. VAT Returns (BIR Form 2550Q) or Percentage Tax Return or BIR Form 2551Q) with proof of payment for the last six (6) months. 											

	<ul style="list-style-type: none">b. Latest Quarterly and Annual Income Tax Returns (BIR Form 1701 or 1702)c. Latest Audited Financial Statement received by the BIR.
21.2	No further instructions.

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause	
1	<p>The Delivery site:</p> <p>PhilRice Warehouse, Philippine Rice Research Institute, Maligaya, Science City of Munoz, Nueva Ecija</p> <p>Delivery and Documents -</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from abroad, state:]</i> “The delivery terms applicable to the Contract are DDP delivered <i>[indicate place of destination]</i>. In accordance with INCOTERMS.”</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered <i>[indicate place of destination]</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause, the Procuring Entity’s Representative at the Project Site is the Center Director from the Crop Biotechnology Center, Dr. Roel Suralta, or his authorized representatives.</p> <p>Incidental Services -</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	<p>Packaging -</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final</p>

	destination and the absence of heavy handling facilities at all points in transit.
	The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation -</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	<p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights -</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	Partial payment is not allowed.

4	<p>The inspections and tests that will be conducted are</p> <ul style="list-style-type: none">a. If applicable, the inspections and tests may be conducted on the premises of the Supplier at point of delivery, and/or at the goods' final destination. If conducted on the premises of the Supplier all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring Entity. The Supplier shall provide the Procuring Entity with results of such inspections and tests.b. The Procuring Entity or its designated representative shall be entitled to attend the tests and/or inspections referred to in this Clause provided that the Procuring Entity shall bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all traveling and board and lodging expenses.c. The Procuring Entity may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Procuring Entity, and shall repeat the test and/or inspection, at no cost to the Procuring Entity.d. The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Procuring Entity or its representative, shall release the Supplier from any warranties or other obligations under this Contract.
---	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section VI. Schedule of Requirements

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot no.	Description	Quantity	Unit	Total ABC	Division	Delivery Period
1	Camera	2	Set	1,500,000.00	CBC	30 calendar days

TOTAL ABC: P 1,500,000.00

Section VII. Technical Specifications

Section VII. Technical Specifications

Item	Specification	Statement of Compliance <i>Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.</i>
1	<p>Two (2) Sets Camera</p> <p>Quantity: 1 lot</p> <p>Pan-Tilt-Zoom Camera (x2) Specs:</p> <ul style="list-style-type: none"> • 4K 25/30p PTZ Camera • 24x Optical Zoom • With built-in auto tracking • PoE+ IEEE802.3at compliant: DC42 to 57 V (Camera Input) • Power: 12 V DC (10.8 V to 13.2 V) • Power Consumption: 1.8 A (Supplied AC adaptor), 0.6 A (PoE+ power supply) • Operating Temp: 0 °C to 40 °C (32 °F to 104 °F) • Operating Humidity: 20 % to 90 % • Weight: Approx. 1.8 kg (3.97 lbs) (excluding ceiling mounting bracket) • Dimensions: 160.0 mm x 192.1 mm x 166.0 mm (Excluding protrusions, cable cover, ceiling mounting bracket) • Black finished • Imaging Sensors: 1/2.5-type 4K MOS x1 • Lens: Motorized Optical 24x zoom, F1.8 to F4.0 [f=4.12 mm (5/32 inches) to 98.9 mm (3 29/32 inches); 35 mm (1 3/8 inches) equivalent: 25.0 mm (31/32 inches) to 600.0 mm (23 5/8 inches)] • Optical zoom: 24x, i.Zoom UHD 28x, FHD 36x • Digital extender zoom: 1.4 x , 2 x 	

	<ul style="list-style-type: none"> • Horizontal angle of view: 74.1° (wide) to 3.3° (tele) • Switching between auto and manual focus • Entire zooming range: 1200 mm (3.9 ft) Wide end: 100 mm (0.33 ft) • Panning Range: ±175° • Tilting Range: -30°to 90°*9 • Image Stabilization: OIS 2-axis MENU switching: Select between Off/O.I.S. • Input/Output: LAN terminal for IP control (RJ-45), CONTROL IN RS422A (RJ-45) • Video Output: HDMI 1.4 connector, 4:2:2/10bit, SMPTE292M, 424M/ 75 Ω (BNCx1) • Mic Input: AAC compatibility (compatible with IP only) Φ3.5 mm stereo mini jack • IP Connecting Cable: Cat6 (category 5e or above, straight cable) Max 100 m (328 ft) • Supported protocol for IPv4 and IPv6: TCP/IP, UDP/IP, HTTP, HTTPS, RTSP, RTP, RTP/RTCP, MLD, DHCPv6, DHCP, DNS, DDNS, NTP, IGMP, ICMP, ARP, RTMP, RTMPS, SRT • Pan/Tilt Mechanical Method: New Direct Drive System • Can be attached to a tripod <p>Inclusions:</p> <p>Pan-Tilt-Zoom Camera Controller (x2) Specs:</p> <ul style="list-style-type: none"> • Touch Panel GUI for High-quality Operability and Visibility • Touch Focus Function Equipped • Tracing Memory for Memory and Recall of Camera Operations • Preset Memory for Simple Camera Control • Multiple-camera Connection Supported for Large-scale Systems • PoE+* support enables power supply via a LAN cable • 3.5-type liquid crystal (QHD 960 x 540) Touch Panel GUI Monitor • Memory Card Slot (SDHC / SDXC Memory Card Slot) x1 • Joystick w/ zoom/focus lock • Ports: RS-422 (x5), LAN PoE (x1), GPIO (x1), XRL 4-pin +12v (x1) • Power Req.: 12 V DC (10.8 V to 13.2 V), DC 42 V to 57 V (Camera Input, PoE+ power supply) • Current Consumption: 0.9 A (XLR Connector Input), 0.3 A (PoE+ power supply) • Weight: 1.5 kg (3.31 lbs) 	
--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

	<ul style="list-style-type: none"> • Dimensions(WxHxD): 210mm x 92mm x 177mm • IP Connection: 100BASE TX PoE+ input LAN Cable Max. 100m. Crossover cable (category 5 cable), STP (Shielded Twisted Pair) • Serial Connection (RJ-45): Straight cable (category 5e or better shielded cable), max. 1000 m • Max. Connectable Cameras: 200 (IP), 5 (RS422) • 10 Camera Selection Buttons • 20 Camera Groups • Pan / Tilt Speed Adjustment: 7 Levels • Most be fully compatible with the PTZ Camera • Black finished <p>Video Live Stream Switcher (x1) Specs:</p> <ul style="list-style-type: none"> • Total Video Inputs: 8 • Total Outputs: 4 • Total Aux Outputs: 2 • Total Audio Inputs: 2 x 3.5mm stereo mini jack • Total Audio Outputs: 1 x 3.5mm stereo mini jack • HDMI Video Inputs: 8 x HDMI type A, 10-bit HD switchable, 2 channel embedded audio • Video Input Re-Sync: On all 8 HDMI inputs • HDMI Program Outputs: 2 • Ethernet supports 10/100/1000 BaseT for live streaming • Computer Interface: 2 x USB Type-C 3.1 Gen 1 for external drive recording • Video Sampling: 4:2:2 YUV • Color Precision: 10-bit • Color Space: Rec 709 • HDMI Input Resolutions from Computers: 1280 x 720p 50Hz, 59.94Hz and 60Hz 1920 x 1080p 23.98, 24, 25, 29.97, 30, 50, 59.94 and 60Hz 1920 x 1080i 50, 59.94Hz and 60Hz • Multi View Monitoring: Configurable to 16, 13, 10, 7 or 4 up views including Program, Preview, 8 HDMI inputs, SuperSource, Clean Feed, Media Player, Streaming Status, Recording Status and Audio Meters • Audio Mixer: 11 input x 2 channel mixer • Upstream Keyers: 4 • Downstream Keyers: 2 	
--	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

	<ul style="list-style-type: none"> • Total Number of Layers: 9 • Pattern Generators: 5 • Advanced Chroma Keyers: Up to 4 • Color Generators: 2 • Minimum monitor resolution of 1366 x 768 • Analog Input Delay: Up to 8 frames • Max Input Level: +6dBV • Supports direct live streaming using Real Time Messaging Protocol (RTMP) over ethernet or a shared mobile internet connection over USB C. • Media Pool Still Image Format: PNG, TGA, BMP, GIF, JPEG and TIFF. • Media Format: Supports media formatted ExFAT or HFS+ file system • Black finished <p>PTZ Tripod (x2) Specs:</p> <ul style="list-style-type: none"> • Maximum height (from head to ground): 205 cm • Minimum height (from head to ground): 89 cm • Tripod material: Aluminum • Capacity: 20.00 kg • Total weight: 3.20 kg • Number of stages: 1 • support features the 3 telescopic stage • Lightweight stand with standard rubber feet and ball joint • Should be able to securely and steadily hold the camera • Black finished With PTZ camera mount adapter <p>2G Managed Network Switch (x1):</p> <ul style="list-style-type: none"> • SWITCH PORTS: 8-Port 10/100/1000 plus 2 x 1GE copper/SFP combo • PoE: 8 PoE ports with 120W total power budget, PoE, PoE+ • PoE Budget: 120w • Management Type: Managed • Static routing, QoS, Voice/Guest VLAN, GVRP, MSTP, Time-based Access Control Lists, IPv6 • Advanced 802.1x, Web-based Authentication, IP Source Guard, IPv6 First Hop Security, Dynamic ARP Inspection • Power Supply is external • Mounting Options: Desktop or Rackmount • Maximum Power: 1.2E+2 Watts • Dimensions: 10.56 x 7.28 x 1.73 inches 	
--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

	<ul style="list-style-type: none"> • Weight: 8.68 pounds • Case Material: Copper • White finished • Optimizes power usage to lower operational cost. Compliant with IEEE802.3az Energy Efficient Ethernet. Fanless in most models • Limited-lifetime warranty with Next-Business-Day advance replacement (where available) and one-year technical support <p>Customized Hard-Case Box (x1):</p> <ul style="list-style-type: none"> • Material: Outer Shell: High-impact ABS plastic, Inner Foam: Customizable, high-density polyethylene foam with pre-cut sections to perfectly fit each component • Color: Exterior: Matte Black, Interior: Black Foam • Exterior Dimensions: 900 mm (L) x 600 mm (W) x 450 mm (H) • Weight: Approx. 12 kg (26.46 lbs) (Empty Case) • Capacity: Designed to securely fit: <p>2 PTZ Cameras, 2 PTZ Camera Controllers, 1 Video Live Stream Switcher, 1 Network Switch</p> <ul style="list-style-type: none"> • Protection: Waterproof and Dustproof: IP67 rating, Shockproof: Reinforced corners and edge, Temperature Resistance: -20 °C to 60 °C (-4 °F to 140 °F) • Four reinforced padlock holes (padlocks should be included) • Heavy-duty wheels for easy transportation • Customizable foam inserts with pre-cut sections to fit each component securely • With High-Grade Bags for Cable Storage made from Heavy-duty nylon, Padded lining with adjustable dividers/ Color black, Heavy-duty, water-resistant zippers • High-End Laptop (x1) Specs: • Processor: 8-core/16-thread, 20MB cache, up to 4.9 GHz max boost • Display: 15.6" WQHD (2560 x 1440) 16:9, 165Hz, IPS Level, 300 Nits, Anti-Glare Display • Memory: 32GB DDR5-4800 SO-DIMM (16GB x 2) • Storage: 1TB PCIe® 4.0 NVMe™ M.2 SSD • Laptop GPU: ROG Boost: 1595MHz* at 	
--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

	<p>150W (1545MHz Boost Clock+50MHz OC, 125W+25W Dynamic Boost), 8GB GDDR6</p> <ul style="list-style-type: none"> • Windows 11 Home Genuine License • MS Office Home and Student • Display: 1x HDMI 2.0b • Audio: 1x 3.5mm Combo Audio Jack • Speakers: 2-speaker system with Smart Amplifier Technology • 1x RJ45 LAN port • 1x USB 3.2 Gen 2 Type-C • 1x USB 3.2 Gen 2 Type-C support DisplayPort™ / power delivery / G-SYNC • 2x USB 3.2 Gen 1 Type-A • Wireless Connectivity: Wi-Fi 6E(802.11ax) (Dual band) 2*2 + Bluetooth 5.2 – RangeBoost • Battery: 90WHrs, 4S1P, 4-cell Li-ion • With Black Colored High-Quality Laptop Backpack • With Wireless Rechargeable Mouse Type-C (Bluetooth/Wifi Dongle Connection) Black finished • Cable and Wiring Inclusions: <p>Outdoor High Performance Network Cable (x2) Specs:</p> <ul style="list-style-type: none"> • Outdoor Cat6 LANcable 23 AWG with 4 pairs (8 conductors) • Cable Type: Ethernet • Special Feature: High Speed, UV Resistant • Suitable for 1 and 5 Gigabit speed up to 328 feet and 10 Gigabit speed up to 165ft • Bandwidth tested up to 550 MHz • Supports Power over Ethernet: PoE/PoE+/PoE++ (IEEE 802.3af/at/bt) 4PPoE up to 100W • 1000 feet (305 meters) comes conveniently pre-spooled in a tangle free, easy pull box • Pure bare copper conductors • Have been tested with a DSX-8000 Versiv CableAnalyzer and are in compliance with ANSI/TIA 568.2-D standards, RoHS-3 compliant, and cETLus certified • Compatibility & performance tested with RJ-45 Connectors <p>All-In-One Pass Through RJ45 Crimp Tool (x1) Specs:</p> <ul style="list-style-type: none"> • Built-in adjustable strain latch presser 	
--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

	<p>bar</p> <ul style="list-style-type: none"> • Black oxide coated carbon tool steel one-piece casting, engineered for smooth and dependable operation • Dimensions: 6"L x 2.1"W • Grip Type: Ergonomic • Handle Material: Acrylonitrile Butadiene Styrene (ABS), Plastic, Polyvinyl Chloride (PVC) • Weight: 11.3 ounces • Included Components: Self adjusting cable stripper <p>Cat6/6A RJ45 Pass Through Modular Plugs (x100 pcs) Specs:</p> <ul style="list-style-type: none"> • Shielded (STP) External Ground Connector • Triple prong gold plated contacts • Special Feature: Data Transfer • Supports Power over Ethernet: PoE/PoE+/PoE++ (IEEE 802.3af/at/bt) 4PPoE up to 100W <p>12GHz Mini RG59 BNC Connectors for 4855R Cables (x1 box) Specs:</p> <ul style="list-style-type: none"> • Type: Mini RG59 Coax • Connector: BNC Male • Materials: Nut: Brass, Nickel Plated, Body: Brass, Nickel Plated, Contact: Brass, Gold Plated, Insulator: PTFE • Return Loss: 5-1485 MHz: 15 dB, 1485-3000 MHz: 10 dB, 3000-6000 MHz: 7 dB, 6000-12,000 MHz: 4 dB • Impedance: 75 Ohms • Package Weight: 1.6 lb • Box Dimensions (LxWxH): 10.6 x 5.8 x 1.7" • 50 pcs/box <p>12G SDI Cables (x2) Specs:</p> <ul style="list-style-type: none"> • Maximize 4K signal transmission distance over a single coax • guarantees -15 dB return loss from 4.5 to 12 GHz • PVC, PE Insulation, Foil & TC Shielding • 23 AWG, 75-Ohm SDI • solid 0.023" silvered copper conductor and PE foam insulation • Insulation: PE Polyethylene (Foam), 0.102" / 0.259 cm • Outer Jacket: PVC Polyvinyl Chloride • Length 1000' / 304.8 m • Weight 17 lb / 7.7 kg • Box Dimensions (LxWxH): 10.7 x 6.8 x 	
--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

	<p style="text-align: center;">6.3"</p> <p>Multi-Function Cable Tester with Dual Chassis (x1) Specs:</p> <ul style="list-style-type: none"> • Tests 11 Connector Types • Integrated Test Tone Generator • Detachable Chassis for Long Cable Runs • XLR, TRS, Speakon, RJ45, RCA, BNC & More • Audio Test Tone: +0 dB, -10 dB, -50 dB • Power: 2x 9 V battery (included) • Dimensions: 1.25 × 6.50 × 6.00" (3.2 × 16.5 × 15.2 cm), both units 3.25" (8.2 cm), width of each when detached • Weight: 1.4 lb (0.6 kg) • Box Dimensions (LxWxH) • 11.65 x 8.4 x 3.2" <p>Other Requirements:</p> <ol style="list-style-type: none"> 1. With 1 day training on basic operation and troubleshooting for 5 or more staff. 2. Must be fully operational upon delivery. Ensure all necessary adapters are included for compatibility to other IT equipment, even if not explicitly mentioned. 3. 1-year warranty to all the components for preventive maintenance. 	
<p>Important Notice:</p> <p>The supplier must provide evidence that the specifications are met through submission of brochure and complete technical specifications (SEPARATE DOCUMENT, use your company letterhead) indicating ALL the technical specifications of the product being offered, but not limited to Brand, Model, Place of Origin, Features, Inclusions & Warranty.</p> <p>NON-SUBMISSION of the complete technical specifications can lead to improper evaluation of your offer and rejection of bids. The bidder shall not be allowed to submit additional documents to correct any defects in the bid submitted.</p>		

I hereby verify to comply with all the above requirements.

Signature over the printed name of the authorized representative

Company name

Date

***Section VIII. Checklist of Technical and
Financial Documents***

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR;**

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission **or** Original copy of Notarized Bid Securing Declaration; **and**
- (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS) **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) **or** A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

- (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence **or** duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (i) Original of duly signed and accomplished Financial Bid Form; **and**
- (j) Original of duly signed and accomplished Price Schedule(s).

Other documentary requirements under RA No. 9184 (as applicable)

- (k) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (l) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

